

Format for the Submission of Annual Report on Bio-medical Waste Management by SPCB/PCC (for the year 2011)

Name of the State Pollution Control Board / Pollution Control Committee:											Madhya Pradesh Pollution Control Board, Bhopal									
Name of the Nodal Officer with contact Telephone no. & Mobile No.:											R.K. Shrivastava, S.E									
(1)	(2)	(3)	(4)	(5)	(6)	(7)					(8)		(9)	(10)	(11)	(12)	(13)			
						No. of Incinerator		No. of Auto clave	No. of Micro wave	No. of Hydro clave	No. of Shred der	In Operation					Under Construction	No. of Facil ities viola ted BM W Rule s (12)	Total No. of Show Cause Notices/ directions issued to defaulter Facilities	
						With APCD	Without APCD												HCF	CBWTF
I. Bio-medical Waste Management scenario reported for the period up to 2010																				
	2280	55617	1210	1196	485	8	4	239	----	2	636	14	-----	1510	7293.737	7088.107	100	-----	100	-----
II. Annual Report on Bio-medical Waste Management scenario for the Year 2011 (01.01.2011 to 31.12.2011)																				
(A) Hospitals and nursing homes in town with population of 30 lakhs and above	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
(B) Hospital and nursing homes in town with population below 30 lakhs:																				
a) with 500 beds and above	13	9629	11	11	3	4	----	3	-----	-----	3		-----	9	865	865	3	-----	3	-----
b) With 200 beds and above but less than 500 beds	31	7652	24	24	3	2	4	15			40		-----	21	772.46	772.46	2	-----	3	-----
c) With 50 beds and above but less than 200 beds	206	15232	116	113	30		1	23			107		-----	185	2996.11	2873.11	4	-----	6	-----
d) With less than 50 beds	1813	27633	1088	1048	326		1	222			423		-----	1492	3102.5	2981.95	203	-----	155	-----
C) All others institutions generating bio-medical waste not included in A and B above	516	13	123	109	149	-----	-----	5			175		-----	361	514.17	418.2	15	-----	15	-----
Total	2579	60159	1362	1305	511	6	6	268			748		-----	2068	8250.24	7910.72	227	-----	182	-----

Station: Bhopal

Date : 23/06/2012

Signature of the authorized official & seal

**Information on Common Bio-medical Waste Treatment Facility (CBWTFs)
(for the Year 2011)**

Name of the State Pollution Control Board (or) Pollution Control Committee:							Madhya Pradesh Pollution Control Board, Bhopal					
Name of the Nodal Officer with contact Telephone no. & Mobile No.:							R.K. Shrivastava, S.E					
Sr. No.	Name & Address of CBWTF with contact person name and Telephone no.	Name of the Cities /areas covered by CBWTF	Total no. of HCFs being covered	Total no. of beds covered	Total Quantity of BMW collected, treated and disposed of (in Kg/ day)	Cost of treatment of BMW charged by the CBWTF operator (.....Rs. per Kg orRs per Day orRs. Per bed per day)	Treatment equipment/ facilities installed At CBWTF			Air Pollution Control Systems attached with the incinerator(s)	Method of Disposal of treated wastes (Incineration Ash/ Sharps/ Plastics)	Compliance Status
							Equipment	Nos.	Total installed capacity in Kg/day			
1.	M/s. Elite Engineers, 48, Narmada Road, Jabalpur	Jabalpur & Katni	163	5315	600	₹ 3/ bed/day	Incinerator:	1	100Kg/hr.	Wet Scrubber	Incineration Ash: TSDF site, Pithampur	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	1	250 Liter/Cycle			
							Hydroclave:	-----	-----			
							Microwave:	-----	-----			
							Shredder:	1	50Kg/hr.			
							ETP:	1	-----			
Deep burial:	Yes	-----										
2.	M/s. Krupa Wastages, Seoni	Seoni, Mandla Narsingpur Balaghat & Chhindwara	97	3241	360	₹ 5/ bed/day	Incinerator:	1	50Kg/hr.	Wet Scrubber	Incineration Ash: Secured landfill	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	1	100Liter/Cycle			
							Hydroclave:	----	-----			
							Microwave:	-----	-----			
							Shredder:	1	50Kg/hr.			
							ETP:	1	200 Liter/Cycle			
Deep burial:	Yes	-----										
3.	M/s. Chandra Project, Lal Bag, Ward No. 6, Chhindwara	Chhindwara	18	174	120	-----	Incinerator:	----	----	N/A	Incineration Ash: N/A	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	----	----			
							Hydroclave:	----	-----			
							Microwave:	----	-----			
							Shredder:	----	----			
							ETP:	----	-----			
Deep burial:	Yes	-----										
4.	M/s. Hoswin Incinerator Pvt. Ltd., 196 A-198 B, Sector-F, Sanwer Road, Indore	Indore, Shajapur, Khandwa, Khargone, Barwani, Burhanpur, Dhar, Ujjain, Dewas,	531	9580	1300	₹ 5/ bed/day	Incinerator:	1	250Kg/hr.	High pressure ventury scrubber, droplet separator, 30m chimney	Incineration Ash: TSDF site, Pithampur	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	1	400Liter/Cycle			
							Hydroclave:	----	-----			
							Microwave:	-----	-----			
							Shredder:	1	50Kg/hr.			
							ETP:	Yes	200 Liter/Cycle			
Deep burial:	-----	-----										
5.	M/s. Indo Water Management & Pollution Control Corporation, Satna	Panna, Chhatarpur, Damoh, Rewa, Siddhi	193	3902	412	₹ 7/ bed/day	Incinerator:	1	100Kg/hr.	Attached APCD	Incineration Ash: Secured landfill	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	----	U/P			
							Hydroclave:	----	-----			
							Microwave:	-----	-----			
							Shredder:	1	40Kg/hr.			
							ETP:	U/P	-----			
Deep burial:	Yes	-----										
										Plastics: Sold to recycler	Others:-----	

**Information on Common Bio-medical Waste Treatment Facility (CBWTFs)
(for the Year 2011)**

Name of the State Pollution Control Board (or) Pollution Control Committee:							Madhya Pradesh Pollution Control Board, Bhopal							
Name of the Nodal Officer with contact Telephone no. & Mobile No.:							R.K. Shrivastava, S.E							
Sr. No.	Name & Address of CBWTF with contact person name and Telephone no.	Name of the Cities /areas covered by CBWTF	Total no. of HCFs being covered	Total no. of beds covered	Total Quantity of BMW collected, treated and disposed of (in Kg/ day)	Cost of treatment of BMW charged by the CBWTF operator (.....Rs. per Kg orRs per Day orRs. Per bed per day)	Treatment equipment/ facilities installed At CBWTF			Air Pollution Control Systems attached with the incinerator(s)	Method of Disposal of treated wastes (Incineration Ash/ Sharps/ Plastics)	Compliance Status		
							Equipment	Nos.	Total installed capacity in Kg/day					
1.	M/s. Elite Engineers, 48, Narmada Road, Jabalpur	Jabalpur & Katni	163	5315	600	₹ 3/ bed/day	Incinerator:	1	100Kg/hr.	Wet Scrubber	Incineration Ash: TSDF site, Pithampur	No. of Show-Cause notices/ Direction issued:-----		
							Autoclave:	1	250 Liter/Cycle					
							Hydroclave:	-----	-----					
							Microwave:	-----	-----					
							Shredder:	1	50Kg/hr.					
							ETP:	1	-----					
Deep burial:	Yes	-----	Sharps: Sharp Pit	No. of Court Cases: -----										
Plastics: Sold to recycler	Others:-----													
2.	M/s. Krupa Wastages, Seoni	Seoni, Mandla Narsingpur Balaghat & Chhindwara			97	3241	360	₹ 5/ bed/day	Incinerator:	1	50Kg/hr.	Wet Scrubber	Incineration Ash: Secured landfill	No. of Show-Cause notices/ Direction issued:-----
									Autoclave:	1	100Liter/Cycle			
									Hydroclave:	-----	-----			
									Microwave:	-----	-----			
			Shredder:	1					50Kg/hr.					
			ETP:	1					200 Liter/Cycle					
Deep burial:	Yes	-----	Sharps: Sharp Pit	No. of Court Cases: -----										
Plastics: Sold to recycler	Others:-----													
3.	M/s. Chandra Project, Lal Bag, Ward No. 6, Chhindwara	Chhindwara			18	174	120	-----	Incinerator:	----	----	N/A	Incineration Ash: N/A	No. of Show-Cause notices/ Direction issued:-----
									Autoclave:	----	----			
									Hydroclave:	----	----			
									Microwave:	----	----			
			Shredder:	----					----					
			ETP:	----					----					
Deep burial:	Yes	-----	Sharps:Sharp Pit	No. of Court Cases: -----										
Plastics:Sold	Others:-----													
4.	M/s. Hoswin Incinerator Pvt. Ltd., 196 A-198 B, Sector-F, Sanwer Road, Indore	Indore, Shajapur, Khandwa, Khargone, Barwani, Burhanpur, Dhar, Ujjain, Dewas,			531	9580	1300	₹ 5/ bed/day	Incinerator:	1	250Kg/hr.	High pressure ventury scrubber, droplet separator, 30m chimney	Incineration Ash: TSDF site, Pithampur	No. of Show-Cause notices/ Direction issued:-----
									Autoclave:	1	400Liter/Cycle			
									Hydroclave:	-----	-----			
									Microwave:	-----	-----			
			Shredder:	1					50Kg/hr.					
			ETP:	Yes					200 Liter/Cycle					
Deep burial:	-----	-----	Sharps: Sharp Pit	No. of Court Cases: -----										
Plastics: Sold to recycler	Others:-----													
5.	M/s. Indo Water Management & Pollution Control Corporation, Satna	Panna, Chhatarpur, Damoh, Rewa, Siddhi			193	3902	412	₹ 7/ bed/day	Incinerator:	1	100Kg/hr.	Attached APCD	Incineration Ash: Secured landfill	No. of Show-Cause notices/ Direction issued:-----
									Autoclave:	-----	U/P			
									Hydroclave:	-----	-----			
									Microwave:	-----	-----			
			Shredder:	1					40Kg/hr.					
			ETP:	U/P					-----					
Deep burial:	Yes	-----	Sharps: Sharp Pit	No. of Court Cases: -----										
Plastics: Sold to recycler	Others:-----													

6.	M/s. M.P. Bio-Medical Waste Disposal System, Jawahar chowk, Katni	Shahdol, Anuppur & Umariya	437	830	263.49	₹ 8/ bed/day	Incinerator:	----	-----	N/A	Incineration Ash:	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	-----	-----		Sharps:	No. of Court Cases: ----
							Hydroclave:	-----	-----		Plastics: sold to kabadi for recycling	Others:-----
							Microwave:	-----	-----			
							Shredder:	Yes				
							ETP:	-----	-----			
							Deep burial:	Yes				
7.	M/s. Bio-Medical Waste Management System, Ratlam	Ratlam, Mandsour, Neemuch	46	620	82	₹ 4/ bed/day	Incinerator:	1	75 Kg/hr.	ventury scrubber	Incineration Ash: Ash pit	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	1	20Litre/Cycle		Sharps: Sharp pit	No. of Court Cases:-----
							Hydroclave:	-----	-----		Plastics:Recycle r	Others:-----
							Microwave:	-----	-----			
							Shredder:	1	20Kg/hr.			
							ETP:	-----	1.0cum/day			
							Deep burial:	Yes				
8.	M/s. Labco Instruments, S- 419, Sharda Trade Center, Faizabad Road, Indira Nagar, Lucknow (U.P.) (Transportation)	Vindhyanagar	01	68	20.6	₹ 12.20/ bed/day	Incinerator:	1	50Kg/hr.	scrubber	Incineration Ash: Municipal landfill	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	1	635Litre/Cycle		Sharps: Sharp pit	No. of Court Cases: ----
							Hydroclave:	----	-----		Plastics:Recycle r	Others:-----
							Microwave:	-----	-----			
							Shredder:	1	50Kg/hr.			
							ETP:	U/P	-----			
							Deep burial:	-----	-----			
9.	M/s. Medical Pollution Disposal Committee, Jhansi (Transportation)	Bina Town	12	74	5.5	-----	Incinerator:			-----	Incineration Ash:	No. of Show-Cause notices/ Direction issued:
							Autoclave:				Sharps:	No. of Court Cases:
							Hydroclave:				Plastics:	Others:
							Microwave:					
							Shredder:					
							ETP:					
							Deep burial:					
10.	People's College of Medical Science & Research Centre, Bhopal	Bhopal	05	1400	125	Use for People's group hospitals only	Incinerator:	1	20Kg/hr.	ventury scrubber, droplet separator	Incineration Ash: Stored in Pukka Tank	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	1	250Litre/Cycle		Sharps: Sharp pit	No. of Court Cases: ----
							Hydroclave:	----	-----		Plastics: Sold to recycler.	Others:----
							Microwave:	-----	-----			
							Shredder:	1	25 Kg/hr			
							ETP:	-----	500KLD			
							Deep burial:					
11.	Bhopal Incinerator Pvt. Ltd., 6/5 H-Sector, Industrial Area, Govindpura, Bhopal	Bhopal & Raisen	260	7750	1461	Rs.6.60/bed/day(Pvt. HCFs) Rs.5.30/bed/day(Govt. HCFs) Rs.730/Month(Pathology) Rs.2000/ Month(Blood Bank) Rs.600/ Month(Dentist)	Incinerator:	2	50 Kg/hr.& 100 Kg/hr	ventury scrubber, droplet separator	Incineration Ash: SLF, Pithampur	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	1	450Litre/Cycle		Sharps: Sharp pit	No. of Court Cases: ----
							Hydroclave:	----	-----		Plastics: Sold to recycler.	Others:-----
							Microwave:	-----	-----			
							Shredder:	1	25Kg/hr.			
							ETP:	-----	Member of CETP			
							Deep burial:	-----	-----			
12.	Environmental Protection Corporation, Sehore	Sehore, Hoshangabad	02	37	7	Rs.5/bed/day	Incinerator:	1	100 Kg/hr		Incineration Ash: Stored in Pukka Tank	No. of Show-Cause notices/ Direction issued:-----
							Autoclave:	1	100Litre/Cycle		Sharps: Sharp pit	No. of Court Cases: -----
							Hydroclave:	----	-----			
							Microwave:	-----	-----			
							Shredder:	1	50Kg/hr.			
							ETP:	1	3.5KLD			
							Deep burial:				Plastics:Sold to recycler	Others:-----

