



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428, 2466191 Fax : (0755) 2463742 e-mail: rt.mppcb@rediffmail.com

No.
To,

/TS/MPPCB/2011

Date:

**M/s. Indian Oil Corporation Ltd.
Post: Barun, Village: Rairu
Distt. GWALIOR - 474 010 (M.P.)**

Sub: Renewal of consent of the Board under section 25/26 of the Water [Prevention & Control of Pollution] Act, 1974.

Ref: Your application No. Gwl/MPPCB, dated: 25/11/10.

With reference to your above application consent is hereby renewed for a period of **Three years** i.e. from **01/01/2011 to 31/12/2013** subject to the fulfillment of the terms and conditions incorporated in the schedule of the consent letter No. 10862 dated: 16/12/09 and subsequent renewal issued to you by this office and additional conditions mentioned below:-

This renewal of consent is valid for following storage capacity of:-

<u>Name of Product</u>	<u>Production Capacity</u>
1. MOTOR SPIRIT (MS)	4020 KL (Four thousand Twenty kilolitres)
2. SUPERIOR KEROSENE OIL (SKO)	5800 KL (Five thousand Eight hundred kilolitres)
3. HIGH SPEED DIESEL (HSD)	12,275 KL (Twelve thousand Two hundred Seventy Five kilolitres)
4. LOW DENSITY OIL (LDO)	70 KL (Seventy kilolitres)
5. FURNACE OIL (FO)	3100 KL (Three thousand One hundred kilolitres)
6. BLUE DYE	0.5 KL (Zero point Five kilolitres)
7. DIESEL ADDITIVE	0.5 KL (Zero point Five Kilolitres)



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428, 2466191 Fax : (0755) 2463742 e-mail: it.mppcb@rediffmail.com

- | | | |
|----|--------------------|--|
| 8. | ETHANOL | 160 KL
(One hundred Sixty kilolitres) |
| 9. | MS ADDITIVE | 0.5 KL
(Zero point Five Kilolitres) |

ADDITIONAL CONDITIONS:

1. The depot management shall improve their existing pollution control facilities and maintain the same properly so that the treated effluent could be maintained within the prescribed standards. Industry shall also ensure proper treatment of oily waste water by installation of oil separators/oil skimmers/effluent treatment plant and shall inform the progress from time to time to the Board.
2. Measuring arrangement shall be made for consumption of water and waste water discharged.
3. The depot shall submit treated effluent monitoring report to the Board in every 03 month including the ground water sources in and around the storage depot.
4. The depot management shall utilize treated effluent within the premises for plantation/horticulture purpose. Industry shall not discharge any effluent outside the factory premises in any circumstances and zero discharge condition shall be maintained.
5. The depot management shall submit environmental statement for the previous year ending 31st March on or before 30th September every year to the Board.
6. Depot management shall install separate meter in accordance to Rule-3 of Water Cess Rules, 1978 for the measurement of water consumption in all the four categories as mentioned in the schedule-II of Water (Prevention & Control of Pollution) Cess Act, 1977.
7. Depot management shall make proper arrangement for the disposal of solid waste, also valid authorisation under Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008 shall be obtained from the Board.
8. Any change in storage capacity, storage material etc. shall be intimated to the Board. For any enhancement of the above prior permission shall be obtain from the Board.
9. Depot management shall take adequate precautionary measures before and during operation, maintenance and cleaning of pollution control equipment to avoid any accidental hazard.
10. The depot management shall ensure that there shall be no leakages/spillages etc. of the oils material on ground during the handling, transfer and storage of petroleum products. Adequate arrangement of spill collection shall be ensured. Depot management shall make arrangement of peizometric holes all around the premises to check underground seepage/leakage.



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ {0755} 2464428, 2466191 Fax : {0755} 2463742 e-mail: it mppcb@rediffmail.com

11. Depot management shall ensure proper collection, storage and disposal of tank sludge.
12. Extensive tree plantation shall be carried out in open areas available within the depot premises in consultation with the expert agency and good house keeping practices shall be adopted.
13. Depot management shall comply with all the relevant acts/rules, directions, guidelines issued by MoEF/CPCB/MPPCB from time to time as required and, if applicable.
14. The consent/renewal license fee deposited by the industry is liable for revision, if at any point of time it is found necessary.
15. Depot management shall submit a fresh application for next renewal of consent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 180 days before the expiry of the date of this consent renewal letter.

The application shall be made in prescribed application form with consent renewal fee along with report of compliance of consent conditions mentioned in original consent letter and its subsequent consent renewal letter.

The consent renewal fee shall be payable as per latest gazettee notification dated: 07/10/09 in accordance with gross block mentioned.

Please acknowledge the receipt of this letter.

(A. K. Jain)
Executive Engineer

For & on behalf of
M.P. Pollution Control Board

(R. K. JAIN)
Member Secretary

Endt No. 931 /TS/MPPCB/2011

Date: 27-1-11

Copy to:-

1. Regional Officer, M.P. Pollution Control Board, Gwalior.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. HSMD Section, M. P. Pollution Control Board, Bhopal
4. Cess Section, M.P. Pollution Control Board, Bhopal.
5. IT Section, M.P. Pollution Control Board, Bhopal.

(A. K. Jain)
Executive Engineer

(R. K. JAIN)
Member Secretary



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428, 2466191 Fax : (0755) 2463742 e-mail: it.mppcb@rediffmail.com

No. /TS/MPPCB/2011
To,

Date:

M/s. Indian Oil Corporation Ltd.
Post: Barun, Village: Rairu
Distt. GWALIOR - 474 010 (M.P.)

Sub: Renewal of consent of the Board **under section 21 of the Air [Prevention & Control of Pollution] Act, 1981.**

Ref: Your application No. Gwl/MPPCB, dated: 25/11/10.

With reference to your above application consent is hereby renewed for a period of **Three years** i.e. from **01/01/2011 to 31/12/2013** subject to the fulfillment of the terms and conditions incorporated in the schedule of the consent letter No. 10864 dated: 16/12/09 and subsequent renewal issued to you by this office and additional conditions mentioned below:-

This renewal of consent is valid for following storage capacity of:-

<u>Name of Product</u>	<u>Production Capacity</u>
1. MOTOR SPIRIT (MS)	4020 KL (Four thousand Twenty kilolitres)
2. SUPERIOR KEROSENE OIL (SKO)	5800 KL (Five thousand Eight hundred kilolitres)
3. HIGH SPEED DIESEL (HSD)	12,275 KL (Twelve thousand Two hundred Seventy Five kilolitres)
4. LOW DENSITY OIL (LDO)	70 KL (Seventy kilolitres)
5. FURNACE OIL (FO)	3100 KL (Three thousand One hundred kilolitres)
6. BLUE DYE	0.5 KL (Zero point Five kilolitres)
7. DIESEL ADDITIVE	0.5 KL (Zero point Five Kilolitres)



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

{0755} 2464428, 2466191 Fax : {0755} 2463742 e-mail: it.mppcb@rediffmail.com

- | | | |
|----|--------------------|--|
| 8. | ETHANOL | 160 KL
(One hundred Sixty kilolitres) |
| 9. | MS ADDITIVE | 0.5 KL
(Zero point Five Kilolitres) |

ADDITIONAL CONDITIONS:

1. The depot management shall improve their existing pollution control facilities and maintain the same properly so that the emission could be maintained within the prescribed standards.
2. The depot management shall submit ambient air quality monitoring report to the Board in every 06 month.
3. The depot management shall submit environmental statement for the previous year ending 31st March on or before 30th September every year to the Board.
4. Any change in storage capacity, storage material etc. shall be intimated to the Board. For any enhancement of the above prior permission shall be obtain from the Board.
5. Depot management shall ensure the installation of noise control devices, acoustic enclosures/cetropy etc. as per the law on the D.G. Sets.
6. Depot management shall take adequate precautionary measures before and during operation, maintenance and cleaning of pollution control equipment to avoid any accidental hazard.
7. Extensive tree plantation shall be carried out in open areas available within the depot premises in consultation with the expert agency and good house keeping practices shall be adopted.
8. Depot management shall comply with all the relevant acts/rules, directions, guidelines issued by MoEF/CPCB/MPPCB from time to time as required and, if applicable.
9. The consent/renewal license fee deposited by the industry is liable for revision, if at any point of time it is found necessary.
10. Depot management shall submit a fresh application for next renewal of consent u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 180 days before the expiry of the date of this consent renewal letter.

The application shall be made in prescribed application form with consent renewal fee along with report of compliance of consent conditions mentioned in original consent letter and its subsequent consent renewal letter.

pare. rene(gwl) ap.1

109

For online application/corres/fees, vist our website www.mppcb.nic.in



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

{0755} 2464428, 2466191 Fax : {0755} 2463742 e-mail: it.mppcb@rediffmail.com

The consent renewal fee shall be payable as per latest gazettee notification dated: 07/10/09 in accordance with gross block mentioned.

Please acknowledge the receipt of this letter.

(A. K. Jain)
Executive Engineer

Endt No. 933 /TS/MPPCB/2011
Copy to:-

1. Regional Officer, M.P. Pollution Control Board, Gwalior.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. HSMD Section, M. P. Pollution Control Board, Bhopal
4. IT Section, M.P. Pollution Control Board, Bhopal.

(A. K. Jain)
Executive Engineer

For & on behalf of
M.P. Pollution Control Board

(R. K. JAIN)
Member Secretary

Date: 27-1-11

(R. K. JAIN)
Member Secretary