



# MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428, 2466191 Fax: (0755) 2463742 e-mail: mppcb@rediffmail.com

No. /TS/MPPCB/2010  
To,

Date:

**M/s. Dhanuka Extractions Pvt. Ltd.**  
**Jamunia Kala,**  
**NEEMUCH - 458 441 (M.P.)**

Sub: Consent of the Board **under section 25/26 of the Water [Prevention & Control of Pollution] Act, 1974.**

- Ref:
1. Permission to Establish issued on dated: 09/03/09.
  2. Your application No. DAPL/AWCOPR./09/1, dated: 26/05/09 and subsequent correspondence ending with letter dated: 06/05/10.
  3. Technical presentation by industry on dated: 20/05/10.

-----

With reference to your above application for consent to operate has been considered under the aforesaid Act and existing rules therein. The M. P. Pollution Control Board has agreed to grant consent for a period of One year from the first day of the month of commissioning of the industry.

Please find attached herewith the consent letter along with the conditions from page no. 1 to 9. It is also being instructed that strict adherence to the conditions must be complied with.

— 507 —  
( H. S. Malviya )  
Executive Engineer

For & on behalf of  
M.P. Pollution Control Board

— 507 —  
( R. K. JAIN )  
Member Secretary

Endt No. 4735 /TS/MPPCB/2010  
Copy to:-

Date: 3/6/10

1. Regional Officer, M.P. Pollution Control Board, Ujjain.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. Cess Section, M.P. Pollution Control Board, Bhopal.
4. HSMD Section, M. P. Pollution Control Board, Bhopal
- ✓ 5. IT Section, M.P. Pollution Control Board, Bhopal.

( H. S. Malviya )  
Executive Engineer

( R. K. JAIN )  
Member Secretary



# MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428, 2465191 Fax : (0755) 2463742 e-mail: mppcb@rediffmail.com

## CONSENT LETTER

No. NI/Neemuch/2010/MPPCB./15/36.....

Bhopal, Date: 3-6-10

Subject: Consent to M/s. **Dhanuka Extractions Pvt. Ltd., Neemuch**  
for the discharge of effluent under section 25/26 of the Water [Prevention & Control of Pollution] Act. 1974.

Ref: Application No. DAPL/AWCOPR./09/1, dated: 26/05/09

With reference to the above application for consent to discharge effluent into the natural water courses under the Water [Prevention & Control of Pollution] Act, 1974, hereinafter referred to as the Act. M/s. **Dhanuka Extractions Pvt. Ltd.** authorized by the State Board to discharge its industrial and other effluent arising out of their premises into the local stream/river/well in accordance with the general and special conditions as mentioned in the Annexure.

This combined consent shall be valid for a period of 12 months from the first day of the month of commissioning of the industry.


This consent is valid for product & production capacity of:-


<u>Name of Product</u>	<u>Production Capacity</u>
1. <b>SOLVENT EXTRACTION PLANT (Seed Basis)</b>	<b>90, 000 MT/ Year (Ninty thousand metric tonnes per year)</b>
2. <b>REFINERY</b>	<b>16, 200 MT/Year (Sixteen thousand Two hundred metric tonnes per year)</b>
3. <b>D.O.C.</b>	<b>73, 430 MT/Year (Seventy Three thousand Four hundred Thirty metric tonnes per year)</b>

For and on behalf of the M.P. Pollution Control Board.

Seal

Enclosure : Annexure

  
( H. S. Malviya )  
Executive Engineer

  
( R. K. JAIN )  
Member Secretary

EE/Neemuch:/mppcb/10/15/36 Date = 3-6-10



# MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464423, 2466191 Fax : (0755) 2463742 e-mail: [it.mppcb@rediffmail.com](mailto:it.mppcb@rediffmail.com)

No. /TS/MPPCB/2010  
To,

Date:

**M/s. Dhanuka Extractions Pvt. Ltd.**  
**Jamunia Kala,**  
**NEEMUCH - 458 441 (M.P.)**

Sub: Grant of consent of the Board Under Section 21 of the **Air [Prevention & Control of Pollution] Act, 1981.**

- Ref:
1. Permission to Establish issued on dated: 09/03/09.
  2. Your application No. DAPL/AWCOPR./09/1, dated: 26/05/09 and subsequent correspondence ending with letter dated: 06/05/10.
  3. Technical presentation by industry on dated: 20/05/10.

---:---:---:---

With reference to your above subject consent to operate is hereby granted for one year from the first day of the month of commissioning of the industry, subject to the fulfilment of the following terms and conditions.

This consent is valid for product and production capacity of:-

<u>Name of Product</u>	<u>Production Capacity</u>
1. <b>SOLVENT EXTRACTION PLANT (Seed Basis)</b>	<b>90, 000 MT/ Year (Ninty thousand metric tonnes per year)</b>
2. <b>REFINERY</b>	<b>16, 200 MT/Year (Sixteen thousand Two hundred metric tonnes per year)</b>
3. <b>D.O.C.</b>	<b>73, 430 MT/Year (Seventy Three thousand Four hundred Thirty metric tonnes per year)</b>

1. Industry shall maintain air pollution control equipment at all points of emission and shall ensure that these are always kept running and in good working order all the time. In case of any failure it shall be immediately rectified or some alternate arrangements shall be made.
2. Minimum height of all the stacks/vent not be less than 30 meters.
3. Emission of air pollutants from Boiler section, shall not exceed the following limits:-

Particulate Matter - 150 mg/Nm<sup>3</sup>



# MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428, 2466191 Fax : (0755) 2463742 e-mail: [it.mppcb@rediffmail.com](mailto:it.mppcb@rediffmail.com)

4. Ambient air quality at the boundary of the factory premises shall conform to the norms prescribed in MoEF gazette notification no GSR/826(E), dated: 16/11/09. Some of the parameters are as follows :

a.	Particulate Matter (less than 10 micron) (PM <sub>10</sub> µg/m <sup>3</sup> 24 hrs. basis)	-	100	microgram/cubic meter
b.	Particulate Matter (less than 2.5 micron) (PM <sub>25</sub> µg/m <sup>3</sup> 24 hrs. basis)	-	60	"-
c.	Sulphur Dioxide [SO <sub>2</sub> ] (24 hrs. Basis)	-	80	"-
d.	Nitrogen Oxides [Nox] (24 hrs. Basis)	-	80	"-
e.	Carbon Monoxide [CO] (2 hrs. Basis)	-	2000	"-
5. Industry shall submit tri-monthly stack and ambient air quality monitoring reports to the Board regularly. Some of the guidelines in this regards are as below:-
  - [a] The monitoring of source emissions shall be done once in 03 month and report submitted to the Board.
  - [b] The sampling of ambient air quality shall be done on 8 hours basis.
  - [c] The monitoring of ambient air quality shall be done atleast at two stations.
6. Fugitive emission shall have to be effectively controlled by constant vigil timely repair and good house keeping practices.
7. Industry shall take all precautionary measures to prevent emission from various junction and transfer points.
8. Industry shall submit environmental statement for the previous year ending 31<sup>st</sup> March on or before 30<sup>th</sup> September every year to the Board.
9. The noise level shall not exceed the limit 75dB[A] during the day time and 70-dB[A] during the night time.
10. Industry shall take adequate precautionary measures before and during operation, maintenance and cleaning of pollution control equipment to avoid accidental hazard.
11. The industry shall establish an Environment Management Cell to carry out function relating to environmental management.
12. The industry shall do extensive tree plantation in and around the factory premises for improvement of the environment in general.
13. Industry shall comply with all the relevant acts/rules, directions, guidelines issued by MoEF/CPCB/MPPCB from time to time as required and, if applicable.



# MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464423, 2466191 Fax : (0755) 2463742 e-mail : mppcb@rediffmail.com

14. The consent/renewal license fee deposited by the industry is liable for revision, if at any point of time it is found necessary.
15. Any change in product, production capacity, process, raw material used etc. shall be intimated to the Board. For any change of the above prior permission of the Board shall be obtained.
16. Board reserves the right to amend/cancel any of the above conditions as and when deemed necessary.

This consent is valid for the stated period and has to be renewed year. Application with annual license fee in this regard shall reach the office 06 months before the expiry of this consent.

Please acknowledge the receipt of this letter.

— Sd —  
( H. S. Malviya )  
Executive Engineer

For & on behalf of  
M.P. Pollution Control Board

— Sd —  
( R. K. JAIN )  
Member Secretary

Endt No. 4737 /TS/MPPCB/2010

Date: 3/6/10

Copy to:-

1. Regional Officer, M.P. Pollution Control Board, Ujjain.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. HSMD Section, M. P. Pollution Control Board, Bhopal.
- ✓ 4. IT Section, M.P. Pollution Control Board, Bhopal.

— Sd —  
( H. S. Malviya )  
Executive Engineer

— Sd —  
( R. K. JAIN )  
Member Secretary