



**MADHYA PRADESH POLLUTION CONTROL BOARD**

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462016

☎ (0755) 2464428, 2466191 Fax : (0755) 2463742 e-mail : mppcb@rediffmail.com

No. /TS/MPPCB/2010

Date:

To,

M/s. GAIL Gas Ltd.  
(CNG Station)  
A-7, First Floor, Gangotri Complex,  
Kalanibag,  
DEWAS - 455 001 (M.P.)

Sub: **Permission to establish the CNG Station.**

- Ref: 1. Your application No. GGL/Dewas/CNG/MPPCB/34, dated: 04/12/09 and subsequent correspondence ending letter dated: 16/04/10.  
2. Technical presentation of industry on dated: 07/01/10

\*\*\*\*\*

Without prejudice to the powers of this Board under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 and without reducing your responsibilities under the said Act, and after going through your proposal for achieving the effluent and gaseous emission standards, the Board grants you permission, **ONLY FOR ESTABLISHING the CNG Station at Plot No. 5A/2, Industrial Area No. 2, Dewas (M.P.)** for following capacity :-

This consent is valid for product & production capacity of:-

<u>Name of Activity/Product</u>	<u>Capacity</u>
<b>CNG STATION</b>	<b>5.25 MMSCM/Year</b> <b>(Five point Two Five MMSCM per year)</b>

**SUBJECT TO FOLLOWING CONDITIONS :**

1. This permission is valid only for distribution CNG gas.
2. The industry shall provide adequate effluent treatment facility at terminal station and shall ensure that the treated effluent quality meets the standards prescribed by the Board and notified in the M.P. Gazette dated: 25/03/88.
3. The pipe line should be well equipped with telecommunication, supervisory control and data acquisition and leak detection system to ensure effective management and supervision of pipe line operation as per proposal submitted to the Board.
4. Routine inspection and leakage test shall be conducted regularly and any defect found shall be immediately rectified, so as to have minimum damage to the surrounding environment.



# MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462016

☎ (0755) 2464428 2466191 Fax: (0755) 2463742 e-mail: [it.mppcb@rediffmail.com](mailto:it.mppcb@rediffmail.com)

5. Hydrocarbon leak should be detected at regular intervals, along the pipe lines at the joints, valves, blinds, caps plugs and pressure relief devices using portable hydrocarbon monitor and corrective measures should be taken immediately in case of any leakage.
6. The industry shall install separate electric metering arrangement for running of pollution control devices and this arrangement shall be made in such fashion that any non-functioning of pollution control devices shall immediately stop the electric supply to the production and shall remain tripped till such time unless the pollution control device/devices are made functional. The record of electricity consumption for running of pollution control equipment shall be maintained and submitted to the Board every month. A separate log book shall be maintained.
7. Ambient air quality at the boundary of the factory premises shall conform to the norms prescribed in MoEF gazette notification no GSR/826(E), dated: 16/11/09. Some of the parameters are as follows :

a.	Particulate Matter (less than 10 micron) (PM <sub>10</sub> µg/m <sup>3</sup> 24 hrs. basis)	-	100	microgram/cubic meter
b.	Particulate Matter (less than 2.5 micron) (PM <sub>2.5</sub> µg/m <sup>3</sup> 24 hrs. basis)	-	60	"
c.	Sulphur Dioxide [SO <sub>2</sub> ] (24 hrs. Basis)	-	80	"
d.	Nitrogen Oxides [NO <sub>x</sub> ] (24 hrs. Basis)	-	80	"
e.	Carbon Monoxide [CO] (2 hrs. Basis)	-	2000	"
8. Industry shall make suitable arrangement for handling and disposal of spent oil.
9. The industry shall install acoustic enclosure/canopy in D.G. Set to control the noise pollution. The ambient noise level shall not exceed the limit 75dB [A] during the day time and 70dB [A] during the night time.
10. Environmental Cell with technically qualified personnel shall be setup under the control of Senior Executive.
11. The industry shall take adequate precautionary measures before and during operation, maintenance and cleaning of pollution control equipment to avoid accidental hazard.
12. Industry shall **submit environmental statement** for the previous year ending 31<sup>st</sup> March on or before 30<sup>th</sup> September every year to the Board.
13. Industry shall **obtain authorisation under Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008** from the Board.
15. Industry shall **obtain membership of Emergency Response Centre** from M. P. Pollution Control Board.




# MADHYA PRADESH POLLUTION CONTROL BOARD


Permanente Mahal, E-5, Aera Colony, BHOPAL- 462016  
☎ (0755) 2464428, 2466191 Fax: (0755) 2463742 e-mail: mppcb@rediffmail.com

15. Industry shall comply the conditions stipulated by the department of Industrial Health & Safety, Explosives etc.
16. Industry shall take effective steps for extensive tree plantation atleast 33% area of the factory and around the premises for general improvement of environment conditions and year wise record shall be maintained.
17. After notice and/or opportunity of hearing this consent or any of the above condition can be modified, amended, revoked or withdrawn as a whole or in part as and when deemed necessary.

The consent (for operation) as required under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 shall be granted to your industry after fulfillment of all the conditions mentioned above. For this purpose you shall have to make an application to this Board in the prescribed proforma at least two months before the expected date of commissioning of your industry. The applicant shall not without valid consent (for operation) of the Board bring in to use any out let for the discharge of effluent and gaseous emission.

  
( H. S. Malviya )  
Executive Engineer

For & on behalf of  
M. P. Pollution Control Board

  
( R. K. JAIN )  
Member Secretary

Encl No. 4745 /TS/MPPCB/2010

Date: 7/6/10

Copy to:-

1. Regional Officer, M.P. Pollution Control Board, Ujjain.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. Cess Section, M.P. Pollution Control Board, Bhopal.
4. HSIID Section, M. P. Pollution Control Board, Bhopal
5. I.T. Section, M. P. Pollution Control Board, Bhopal

  
( H. S. Malviya )  
Executive Engineer

  
( R. K. JAIN )  
Member Secretary