



# MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Paribar, E-5, Arena Colony, BHOPAL- 462 016

Ph: 240333, 240310 Fax: 2403742 e-mail: mppcb@nic.in

No. TS/MPPCB/2010  
To,

Date:

M/s. Grasim Industries Ltd.  
(Chlorinated Paraffin Unit)  
Birlagarm,  
NAGDA - 456 331  
Distt. Ujjain (M.P.)


Subject: Consent of the Board under section 25/26 of the Water [Prevention & Control of Pollution] Act, 1974.

- For: 1. Permission to Establish issued on dated: 22/06/09.  
2. Your application No. Nil, dated: 20/05/10.  
3. Technical presentation by industry on dated: 05/07/10.


---:---:---:---:---

With reference to your above application for consent to operate has been considered under the aforesaid Act and existing rules therein. The M. P. Pollution Control Board has agreed to grant consent for a period of One year from the first day of the month of commissioning of the industry.

Please find attached herewith the consent letter along with the conditions from page no. 1 to 9. It is also being instructed that strict adherence to the conditions must be complied with.

  
( H. S. Malviya )  
Executive Engineer


For & on behalf of  
M.P. Pollution Control Board


  
( R. K. JAIN )  
Member Secretary

Encl. No. **7363** /TS/MPPCB/2010  
Copy to:-

Date: **6-8-10**

1. Regional Officer, M.P. Pollution Control Board, Ujjain.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. Cess Section, M.P. Pollution Control Board, Bhopal.
4. HSMD Section, M. P. Pollution Control Board, Bhopal
- ✓ IT Section, M.P. Pollution Control Board, Bhopal.

  
( H. S. Malviya )  
Executive Engineer

  
( R. K. JAIN )  
Member Secretary





# MADHYA PRADESH POLLUTION CONTROL BOARD

Paryashram Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2443191 Fax: (0755) 2443374 e-mail: [mppcb@nic.in](mailto:mppcb@nic.in) / [mppcb@rediffmail.com](mailto:mppcb@rediffmail.com)

4. Industry shall submit tri-monthly stack and ambient air quality monitoring reports to the Board regularly. Some of the guidelines in this regards are as below:-
  - [a] The monitoring of source emissions shall be done once in 03 month and report submitted to the Board.
  - [b] The sampling of ambient air quality shall be done on 8 hours basis.
  - [c] The monitoring of ambient air quality shall be done atleast at two stations.
5. Fugitive emission shall have to be effectively controlled by constant vigil timely repair and good house keeping practices. Especially online sensors shall be installed in sufficient number to observe Cl<sub>2</sub> leakage in ambient, if any.
6. Industry shall take all precautionary measures to prevent emission from various junction and transfer points.
7. Industry shall submit environmental statement for the previous year ending 31<sup>st</sup> March on or before 30<sup>th</sup> September every year to the Board.
8. The noise level shall not exceed the limit 75dB[A] during the day time and 70-dB[A] during the night time.
9. Industry shall take adequate precautionary measures before and during operation, maintenance and cleaning of pollution control equipment to avoid accidental hazard.
10. The industry shall establish an Environment Management Cell to carry out function relating to environmental management.
11. The industry shall do extensive tree plantation in and around the factory premises for improvement of the environment in general.
12. Industry shall comply with all the relevant acts/rules, directions, guidelines issued by MoEF/CPCB/MPPCB from time to time as required and, if applicable.
13. The consent/renewal license fee deposited by the industry is liable for revision, if at any point of time it is found necessary.
14. Any change in product, production capacity, process, raw material used etc. shall be intimated to the Board. For any change of the above prior permission of the Board shall be obtained.
15. Board reserves the right to amend/cancel any of the above conditions as and when deemed necessary.



# MADHYA PRADESH POLLUTION CONTROL BOARD

Paryatan, Parisar, E-5, Arega Colony, BHOPAL- 462 016

Phone: 4264421, 446771 Fax: 426111, 426112 e-mail: [it.mppcb@indiafnm](mailto:it.mppcb@indiafnm)

This consent is valid for the stated period and has to be renewed year. Application with annual license fee in this regard shall reach the office 06 months before the expiry of this consent.

Please acknowledge the receipt of this letter.

( H. S. Malviya )  
Executive Engineer

Endt No. 7365 /TS/MPPCB/2010  
Copy to:-

1. Regional Officer, M.P. Pollution Control Board, Ujjain.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. HSMD Section, M. P. Pollution Control Board, Bhopal.
- ✓ 4. IT Section, M.P. Pollution Control Board, Bhopal.

( H. S. Malviya )  
Executive Engineer

For & on behalf of  
M.P. Pollution Control Board

( R. K. JAIN )  
Member Secretary

Date: 6-8-10

( R. K. JAIN )

Member Secretary