



NI/Dewas/09/MPPCB/69/163 Date-15-10-09
MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462016

☎ (0755) 2464428, 2466191 Fax: (0755) 2463742 e-mail: lt.mppcb@rediffmail.com

No.
To,

/TS/MPPCB/2009

Date:

M/s. Bhaskar Exxoils Pvt. Ltd.
Chhota Malsapura, Post: Siya,
A. B. Road,
DEWAS - 455 001 (M.P.)

Sub: **Permission to establish the unit with expanded capacity.**

- Ref: 1. Your application No. BEPL/DWS/09-10/Ref./Consent/01, dated: 01/08/09 and subsequent correspondence ending letter dated: 04/05/09.
2. Technical presentation of Industry on dated: 20/08/09.

Without prejudice to the powers of this Board under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 and without reducing your responsibilities under the said Act, and after going through your proposal for achieving the effluent and gaseous emission standards, the Board grants you permission, **ONLY FOR ESTABLISHING** the vegetable oil refinery of 200 TPD capacity in the premises of existing unit at village: **Chhota Malsapura, Post: Siya, A. B. Road, Dist. Dewas (M.P.)** for following capacity :-

This consent is valid for product & production capacity of:-

<u>Name of Product</u>	<u>Production Capacity</u>
1. SOYABEAN OIL	42,000 Tonnes/Year (Forty Two thousand Tones per year)
2. SOYA DEOILED CAKE	1,68,000 Tonnes/Year (One Lacs Sixty Eight thousand Tonnes per year)
3. DEGUMMED OIL	36,000 Tonnes/Year (Thirty Six thousand Tones per year)
4. RAPSEED OIL	78,850 Tones/Year (Seventy Eight thousand Eight hundred Fifty Tonnes per year)



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462016

{0755} 2464428, 2466191 Fax : {0755} 2463742 e-mail: it.mppcb@rediffmail.com

5. RAPESEED DEOILED CAKE 1,31,150 Tones/Year
(One Lac Thirty One thousand One hundred Fifty Tones per year)
6. VEGETABLE OIL REFINERY 200 TPD
(Two hundred tonnes per day)

Note: The above capacity includes the existing capacity of the plant.

SUBJECT TO FOLLOWING CONDITIONS :

1. The quantity of the industrial and domestic effluent shall be 90 m³/day and 05 m³/day respectively.
2. The industry shall provide adequate facility for proper treatment of industrial/domestic waste water and shall ensure that the treated effluent quality meets the standards prescribed by the Board and notified in the M.P. Gazette dated: 25/03/88. Industry shall submit the design/drawing of ETP/ sewage treatment plant and air pollution control facilities of adequate capacity within 01 month time from the date of Issue of this letter.
3. Industry shall install separate meter in accordance to Rule-3 of Water Cess Rules, 1978 for the measurement of water consumption in all the four categories as mentioned in the schedule-II of Water (Prevention & Control of Pollution) Act, 1977. Industry shall also provide water meter for measurement of total water consumption withdrawn from different sources for its use. Industry shall also submit detail information regarding different water supply sources; water consumption as per Schedule-II of the act giving breakup of every use along with the location plan of showing water meters to be install.
4. Industry shall install reverse osmosis plant for reuse of treated waste water. Proper arrangement shall be done for the reject of R.O.
5. Industry shall make arrangement for maximum reuse/utilisation of total quantity of treated effluent for plantation purpose inside the premises. Industry shall not discharge any effluent outside of the factory premises in any case. Hence zero discharge condition shall be practiced.
6. Industry shall submit the write up of utilization of treated factory effluent within factory premises.
7. Industry shall install adequate air pollution control equipment to control the emission of air pollutants from boiler section. Industry shall ensure that the particulate matter shall not exceed 150 mg/Nm³.
8. Industry shall provide adequate and proper arrangement for stack monitoring i.e. platform, portholes and safe ladder.



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462016

☎ (0755) 2464428, 2466191 Fax : (0755) 2463742 e-mail: 1.mpppcb@rediffmail.com

9. Ambient air quality at the boundary of the factory premises shall conform to the following limits:
- | | | | |
|----|------------------------------------|------|-----------------------|
| a. | Suspended Particulate Matter | 200 | Microgram/Cubic Meter |
| b. | Sulphur Dioxide [SO ₂] | 80 | "- |
| c. | Nitrogen Oxides [Nox] | 80 | "- |
| d. | Carbon Monoxide [CO] | 2000 | "- |
10. Minimum stack height of all the stacks shall be as per CPCB norms.
11. Environmental Cell with technically qualified personnel shall be setup under the control of Senior Executive.
12. Industry shall make suitable arrangement for handling and disposal of solid waste and sludge from process and ETP. Also industry shall ensure the disposal of resin generated from water softening plant.
13. The industry shall install acoustic enclosure/canopy in D.G. Set to control the noise pollution. The ambient noise level shall not exceed the limit 75 dB [A] during the day time and 70 dB [A] during the night time.
14. Industry shall obtain authorisation under Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008 from the Board.
15. Industry shall obtain membership of Emergency Response Centre from M. P. Pollution Control Board.
16. Industry shall take effective steps for extensive tree plantation in and around their premises for general improvement of environmental conditions.
17. After notice and/or opportunity of hearing this permission or any of the above condition can be modified, amended, revoked or withdrawn as a whole or in part as and when deemed necessary.

The consent (for operation) as required under the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 shall be granted to your industry after fulfillment of all the conditions mentioned above. For this purpose you shall have to make an application to this Board in the prescribed proforma at least two months before the expected date of commissioning of your industry. The applicant shall not without valid consent (for operation) of the Board bring in to use any out let for the discharge of effluent and gaseous emission.

(R. S. Kori)

Superintending Engineer (III)

For & on behalf of
M.P. Pollution Control Board

(R. K. JAIN)

Member Secretary



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462016

☎ (0755) 2464428, 2466191 Fax : (0755) 2463742 e-mail: It...mppcb@rediffmail.com

Endt No. 9208 /TS/MPPCB/2009

Date: 15/10/09

Copy to:-

1. Regional Officer, M.P. Pollution Control Board, Ujjain.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. Cess Section, M.P. Pollution Control Board, Bhopal.
4. HSMD Section, M. P. Pollution Control Board, Bhopal
5. I.T. Section, M. P. Pollution Control Board, Bhopal

(R. S. Kori)

Superintending Engineer (III)

(R. K. JAIN)

Member Secretary