



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428 2466191 Fax : (0755) 2463742 e-mail: it.mppcb@rediffmail.com

No. /TS/MPPCB/2012
To,

Date:

M/s. Teva API India Ltd.
Q-1 to Q4, Ghirongi Industrial Area,
Malanpur,
Dist. BHIND - 477 117 (M.P.)

Sub: Renewal of consent of the Board **under section 25/26 of the Water [Prevention & Control of Pollution] Act, 1974.**

Ref: Your online application through NXGN inward No. 50036 dated: 18/10/11.

-:~::~~::~~::~~::~~::~-:

With reference to your above application consent is hereby renewed for a period of **One year** i.e. from **01/02/2012 to 31/01/2013** subject to the fulfillment of the terms and conditions incorporated in the schedule of the consent letter No. 6365 dated: 02/07/09 and subsequent renewal issued to you by this office and additional conditions mentioned below:-

This renewal of consent is valid for product & production capacity of:-

S. N	Group Detail	Name of Product	Individual Capacity MT/Annum	Total Capacity MT/Annum
1	ANTI VIRAL	Famciclovir	10	10
2	ANTI HYPERTENSIVE	Irbesartan	20	275.22
		Olmesartan	0.12	
		Telmisartan	0.1	
		Trityl Valsartan	150	
		Trityl Irbesartan	40	
		Trityl Losartan	65	
3	ANTI PHYSCHOTIC	Olanzapine	05	05
4	ANTI BACTERIAL	Trimethoprim	25	25
5	ANTI INFLAMMATORY ANALGESIC	7-Ethyl Tryptophol (7-ET)	2	152
		Narproxen-DL	150	
6	ANTI GOUT	3-amino-4 carboxamido pyrazole (ACP)	100	100
7	DIURETIC	Furosemide	140	330
		2,4-Dichlorao-5-Sulfonamide benzoic Acid (DSBA)	190	



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428 2466191 Fax : (0755) 2463742 e-mail: it_mnch@rediffmail.com

8	VASODILATOR	Pentoxifylline	45	45
9	ANTI EPILEPTIC SEIZURE	1,1 Cyclohexane Diacetic Acid (CDA)	2,000	2,000
10	LIPID LOWERING AGENT	Fluradial	15	15

ADDITIONAL CONDITIONS:

1. The industry shall improve their existing pollution control facilities and maintain the same properly so that the treated effluent could be maintained within the prescribed standards.
2. Industry shall install multieffect evaporation system along with ETP as per the time bound action plan and bank guarantee submitted to this office vide letter dated: 02/05/11.
3. Industry shall ensure that the solvent recovery shall not be less than 95%.
4. The industry shall utilize treated effluent within the premises for plantation/horticulture purpose. Industry shall not discharge any effluent outside the factory premises in any circumstances and zero discharge condition shall be maintained.
5. Industry shall take adequate precautionary measures before and during operation, maintenance and cleaning of pollution control equipment to avoid any accidental hazard.
6. Extensive tree plantation shall be carried out in open areas available within the factory premises and good house keeping practices shall be adopted.
7. Industry shall submit environmental statement for the previous year ending 31st March on or before 30th September every year to the Board.
8. Industry shall make proper arrangement for the disposal of solid waste, also valid authorisation under Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008 shall be obtained from the Board.
9. Industry shall comply with all the relevant acts/rules, directions, guidelines, notifications issued by MoEF/CPCB/MPPCB from time to time as required and, if applicable.
10. The consent/renewal license fee deposited by the industry is liable for revision, if at any point of time it is found necessary.
11. Industry shall submit a fresh application for next renewal of consent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 180 days before the expiry of the date of this consent renewal letter.



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428 2466191 Fax : (0755) 2463742 e-mail: it_mnpcb@rediffmail.com

The application shall be made in prescribed application form with consent renewal fee along with report of compliance of consent conditions mentioned in original consent letter and its subsequent consent renewal letter.

The consent renewal fee shall be payable as per latest gazettee notification dated: 07/10/09 in accordance with gross block mentioned.

Please acknowledge the receipt of this letter.

For & on behalf of
M.P. Pollution Control Board

Sd
(A. K. Jain)
Executive Engineer (II)

Sd
(R. K. JAIN)
Member Secretary

Endt No. *1713* /TS/MPPCB/2012
Copy to:-

Date: *14-3-12*

1. Regional Officer, M.P. Pollution Control Board, Gwalior.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. HSMD Section, M. P. Pollution Control Board, Bhopal
4. Cess Section, M.P. Pollution Control Board, Bhopal.
5. IT Section, M.P. Pollution Control Board, Bhopal.

A.K. Jain
(A. K. Jain)
Executive Engineer (II)

R.K. Jain
(R. K. JAIN)
Member Secretary



MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428 2466191 Fax : (0755) 2463742 e-mail: it_mppcb@rediffmail.com

No. /TS/MPPCB/2012
To,

Date:

M/s. Teva API India Ltd.
Q-1 to Q4, Ghirongi Industrial Area,
Malanpur,
Dist. BHIND - 477 117 (M.P.)

Sub: Renewal of consent of the Board under section 21 of the Air [Prevention & Control of Pollution] Act, 1981.

Ref: Your online application through NXGN inward No. 50036 dated: 18/10/11.

:-:-:-:-:-:-:-

With reference to your above application consent is hereby renewed for a period of **One year** i.e. from **01/02/2012 to 31/01/2013** subject to the fulfillment of the terms and conditions incorporated in the schedule of the consent letter No. 6367 dated: 02/07/09 and subsequent renewal issued to you by this office and additional conditions mentioned below:-

This renewal of consent is valid for product & production capacity of:-

S. No	Group Detail	Name of Product	Individual Capacity MT/Annum	Total Capacity MT/Annum
1	ANTI VIRAL	Famciclovir	10	10
2	ANTI HYPERTENSIVE	Irbesartan	20	275.22
		Olmesartan	0.12	
		Telmisartan	0.1	
		Trityl Valsartan	150	
		Trityl Irbesartan	40	
		Trityl Losartan	65	
3	ANTI PSYCHOTIC	Olanzapine	05	05
4	ANTI BACTERIAL	Trimethoprim	25	25
5	ANTI INFLAMMATORY ANALGESIC	7-Ethyl Tryptophol (7-ET)	2	152
		Narproxen-DL	150	
6	ANTI GOUT	3-amino-4 carboxamido pyrazole (ACP)	100	100
7	DIURETIC	Furosemide	140	330
		2,4-Dichlorao-5-Sulfonamide benzoic Acid (DSBA)	190	

pare rene (gwl) ap.2

54

For online application/corres/fees visit our website www.mppcb.nic.in

MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016

☎ (0755) 2464428 2466191 Fax : (0755) 2463742 e-mail: it_mppcb@rediffmail.com

8	VASODILATOR	Pentoxifylline	45	45
9	ANTI EPILEPTIC SEIZURE	1,1 Cyclohexane Diacetic Acid (CDA)	2,000	2,000
10	LIPID LOWERING AGENT	Fluradial	15	15

ADDITIONAL CONDITIONS:

1. The industry shall improve their existing pollution control facilities and maintain the same properly so that the emission could be maintained within the prescribed standards.
2. Industry shall install activated carbon filter at the end of fume extraction system, double condensor and scrubbers for multi-purpose plant as per the time bound action plan and bank guarantee submitted to this office vide letter dated: 02/05/11.
3. Industry shall take adequate precautionary measures before and during operation, maintenance and cleaning of pollution control equipment to avoid any accidental hazard.
4. Extensive tree plantation shall be carried out in open areas available within the factory premises and good house keeping practices shall be adopted.
5. Industry shall submit environmental statement for the previous year ending 31st March on or before 30th September every year to the Board.
6. Industry shall comply with all the relevant acts/rules, directions, guidelines, notifications issued by MoEF/CPCB/MPPCB from time to time as required and, if applicable.
7. Industry shall submit a fresh application for next renewal of consent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 180 days before the expiry of the date of this consent renewal letter.
The application shall be made in prescribed application form with consent renewal fee along with report of compliance of consent conditions mentioned in original consent letter and its subsequent consent renewal letter.
The consent renewal fee shall be payable as per latest gazettee notification dated: 07/10/09 in accordance with gross block mentioned.

Please acknowledge the receipt of this letter.

Sd
(A. K. Jain)
Executive Engineer (II)

For & on behalf of
M.P. Pollution Control Board

Sd
(R. K. JAIN)
Member Secretary

MADHYA PRADESH POLLUTION CONTROL BOARD

Paryawaran Parisar, E-5, Arera Colony, BHOPAL- 462 016


☎ (0755) 2464428 2466191 Fax : (0755) 2463742 e-mail: it_mppcb@rediffmail.com


Endt No. 1715 /TS/MPPCB/2012

Date: 14-3-12

Copy to:-

1. Regional Officer, M.P. Pollution Control Board, Gwalior.
2. Monitoring Section, M.P. Pollution Control Board, Bhopal.
3. HSMD Section, M. P. Pollution Control Board, Bhopal
4. IT Section, M.P. Pollution Control Board, Bhopal.


(A. K. Jain)
Executive Engineer (II)


(R. K. JAIN)
Member Secretary