



Online Processing Sheet for CTE-CCA (Grant/Reject)

To be PutUp to Chairman / Member Secretary / Unit Heads by the appropriate level

On Date : 31/05/2016

Lupin Limited (Unit-13) (18779),
Plot No. 198-202 New Industrial Area No.2,
Mandideep, -,
Mandideep - 462046
DIST : Raisen, TAL : Goharganj, SIDC : Not In SIDC

Inward : 208396
Date : 05/05/2016
(CTE-Expansion)

Applying For : A,W Validity : 1 Years

Category : RED Scale : LARGE

Air Sector : 0

W.W.C. (Klpd): 509.000 (Ind) 159.000 (Dom)

Haz Sector : 0

W.W.G. (Klpd): 452.000 (Ind) 93.000 (Dom)

Investment Air Water

Hazardous

1.50 Crs x 0 x 0

+0 x 0

Payable Fees : Air : 0, Water : 0, Haz : 0

No of Plants : 1 Incenerator : 0

Paid Amount : 30000, DD No : FUPG4452831219, Dt: 30/04/2016, at UPG , 201604300130406

Online Appln,PDFs,Catg,Scale,Fees Scrutinized by : PUSPENDRA SINGH,S.E.[1299]

Inspection Team :

Insp Dt	To RO/HO	Inw @ HO	Do Unit Hd	Hazd Brn	To M.S	Chairman	Decision Dt
13/05/2016	28/05/2016	28/05/2016					

Online Appln (Queries to Industry & Replies)

Online Scrutiny: 208396-22/04/2016 , After 13 Days

Query On:	23/04/2016-1299
Reply On:	

Inspection@ RO (250325)

The unit is situated at Plot No. 198-202, New Industrial Area No.2, Mandideep, Distt. Raisen (MP), It is a case of consent to establish for expansion for Fire Tube Boiler of 12 TPH. The current consent to operate for expansion is valid up-to 31.11.2016. The unit was inspected on 13.05.2016, at the time of inspection it was found that the existing plant is in operation and also there is no activities of installation of Fire Tube Boiler of 12 TPH at site. This unit is a Red - Large category type industry. Now the industry has applied for Consent to establish for expansion for Fire Tube Boiler of 12 TPH run as fuel with type of furnace oil. The unit deposited the fee of Rs. 3.50 through net banking. Based on submission and observation of the case may be recommended for permission to establish for expansion and kind perusal [1299]-20/05/2016~ RO Comments/Reply : / I recommend :May be GRANTED-I Certify this unit is Watercess

Paid-28/05/2016
W.C Notings: The total water consumption as per given in application is 668 KLD[1299-ROH]-
Grant/Reject Comments:

Sr	Product Name	NOC Qty	CCA Qty	Applied Qty	Inspection Remark
1	Amlodipine Besylate	0.000	10.000 - M.T	10.000	Qty/Year
2	Benazapril	0.000	10.000 - M.T	10.000	Qty/Year
3	Brimonidine Tartrate	0.000	1.000 - M.T	1.000	Qty/Year
4	Candesartan Cilexetil	0.000	1.000 - M.T	1.000	Qty/Year
5	Cefaclor	0.000	300.000 - M.T	300.000	Qty/Year
6	Cefadroxil	0.000	120.000 - M.T	120.000	Qty/Year
7	Cefazoline Sodium	0.000	20.000 - M.T	20.000	Qty/Year
8	Cefdinir	0.000	50.000 - M.T	50.000	Qty/Year
9	Cefpime	0.000	10.000 - M.T	10.000	Qty/Year
10	Cefixime Trihydrate	0.000	15.000 - M.T	15.000	Qty/Year
11	Cefotaxime Sodium	0.000	25.000 - M.T	25.000	Qty/Year
12	Cefpodoxime Proxetil	0.000	20.000 - M.T	20.000	Qty/Year
13	Cefprozil Monohydrate	0.000	25.000 - M.T	25.000	Qty/Year
14	Ceftazidime Pentahydrate	0.000	25.000 - M.T	25.000	Qty/Year
15	Ceftiofur Sodium	0.000	10.000 - M.T	10.000	Qty/Year
16	Ceftriaxone Disodium	0.000	25.000 - M.T	25.000	Qty/Year
17	Cefuroxime Fosamil Monoacetate	0.000	50.000 - M.T	50.000	Qty/Year
18	Cefuroxime Acid	0.000	1000.000 - M.T	1000.000	Qty/Year
19	Cefuroxime Axetil	0.000	10.000 - M.T	10.000	Qty/Year
20	Cephalexin	0.000	3.000 - NOS	3.000	For the entire site
21	Cephadrine	0.000	4.000 - NOS	4.000	For the entire site
22	DG set of 1000 kva each	0.000	2.000 - NOS	2.000	For the entire site
23	DG set of 1010 kva each	0.000	2.000 - NOS	2.000	For the entire site
24	DG set of 1250 kva each	0.000	2.000 - NOS	2.000	For the entire site
25	DG set of 500 kva each	0.000	2.000 - NOS	2.000	For the entire site
26	DG set of 750 kva each	0.000	1.000 - M.T	1.000	Qty/Year
27	Donepezil Hcl	1.000	0.000 - NOS	1.000	
28	Fire Tube Boiler of 12 TPH	0.000	150.000 - M.T	150.000	Qty/Year
29	Lisinopril	0.000	10.000 - M.T	10.000	Qty/Year
30	Perindopril	0.000	10.000 - M.T	10.000	Qty/Year
31	Pilot plant for R&D and Trial run products	0.000	1.000 - M.T	1.000	Qty/Year
32	Pitavastatin	0.000	20.000 - M.T	20.000	Qty/Year
33	Quinapril	0.000	15.000 - M.T	15.000	Qty/Year
34	Ramipril	0.000	7000.000 - M.T	7000.000	Qty/Year
35	Recovered Solvent	0.000	8.000 - M.T	8.000	Qty/Year
36	Rosuvastatin Calcium	0.000	1.000 - M.T	1.000	Qty/Year
37	Tolterodine Tartrate	0.000	5.000 - M.T	5.000	Qty/Year
38	Iradolapril	0.000	5.000 - M.T	5.000	Qty/Year
39	Itrandolapril				

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark		
1	Name of the industry and location	M/s. Lupin Ltd. (Unit-13) Plot No. 198-202, New Indls. Area no. 2, Mandideep		
2	Name of product	Name of Product	Exist. Cap.	Prop. Cap.
		List enclosed		
		Installation of Fire Tube Boiler of 12 TPH capacity		
3	Project cost & fees	250 crores (Fees deposit - Rs 3,50,000/- (under Air & Water Acts))		
4	Raw material and quantity	List enclosed		
5	Water consumption	Source - SIDC		
	a. Industrial	509 m ³ /day		
	b. Domestic	159 m ³ /day		
6	Waste Water generation			
	a. Industrial	452 m ³ /day		
	b. Domestic	93 m ³ /day		
7	Pollution control measures			
	Industrial	Effluent Treatment Plant		
	Domestic	Sewage Treatment Plant		
8	Source of Air Pollution & Control equipment	Boiler - 12 TPH (Stack - 48 mt.) (Fuel - FO) Incinerator (Fuel - HSD) (Stack -		
9	Comments of R.O.	R.O. recommended for Permission to Establish for expansion.		

Feed Back Sheet

1	Name of Officer/ Designation	VIC Ahinwar CE
2	Date of Discussion	17/6/2016
3	Query raised Suggestions/ Recommendations	<p>May be considered subject to conditions.</p> <p>Considering No of boilers, a common stack can be installed to have one on line continuous monitoring system also.</p>

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark		
1	Name of the industry and location	M/s. Lupin Ltd. (Unit-13) Plot No. 198-202, New Indls. Area no. 2, Mandideep		
2	Name of product	Name of Product	Exist. Cap.	Prop. Cap.
		List enclosed		
		Installation of Fire Tube Boiler of 12 TPH capacity ✓		
3	Project cost & fees	250 crores (Fees deposit - Rs 3,50,000/- (under Air & Water Acts))		
4	Raw material and quantity	List enclosed		
5	Water consumption	Source - SIDC		
	a. Industrial	509 m ³ /day		
	b. Domestic	159 m ³ /day		
6	Waste Water generation			
	a. Industrial	452 m ³ /day		
	b. Domestic	93 m ³ /day		
7	Pollution control measures			
	Industrial	Effluent Treatment Plant		
	Domestic	Sewage Treatment Plant		
8	Source of Air Pollution & Control equipment	Boiler - 12 TPH (Stack - 48 mt.) (Fuel - FO) Incinerator (Fuel - HSD) (Stack -		
9	Comments of R.O.	R.O. recommended for Permission to Establish for expansion.		

Feed Back Sheet

1	Name of Officer/ Designation	M. L. Patel S.E.
2	Date of Discussion	17/6/16
3	Query raised Suggestions/ Recommendations	<p>1) may be considered as recommended by the Regional officer.</p> <p>2) To be examined for the product & production capacity, the D.G. sets & Boiler has been included in the list of products.</p>


 (Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark
1	Name of the industry and location	M/s. Lupin Ltd. (Unit-13) Plot No. 198-202, New Indls. Area no. 2, Mandideep
2	Name of product	Name of Product Exist. Cap. Prop. Cap.
		List enclosed
		Installation of Fire Tube Boiler of 12 TPH capacity
3	Project cost & fees	250 crores (Fees deposit - Rs 3,50,000/- (under Air & Water Acts))
4	Raw material and quantity	List enclosed
5	Water consumption	Source - SIDC
	a. Industrial	509 m ³ /day
	b. Domestic	159 m ³ /day
6	Waste Water generation	
	a. Industrial	452 m ³ /day
	b. Domestic	93 m ³ /day
7	Pollution control measures	
	Industrial	Effluent Treatment Plant
	Domestic	Sewage Treatment Plant
8	Source of Air Pollution & Control equipment	Boiler - 12 TPH (Stack - 48 mt.) (Fuel - FO) Incinerator (Fuel - HSD) (Stack -
9	Comments of R.O.	R.O. recommended for Permission to Establish for expansion.

Feed Back Sheet

1	Name of Officer/ Designation	<i>Abhay Saraf SE</i>
2	Date of Discussion	<i>17/06/16</i>
3	Query raised Suggestions/ Recommendations	<i>may be considered, as recommended by R.O.</i>


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark		
1	Name of the industry and location	M/s. Lupin Ltd. (Unit-13) Plot No. 198-202, New Indls. Area no. 2, Mandideep		
2	Name of product	Name of Product	Exist. Cap.	Prop. Cap.
		List enclosed		
		Installation of Fire Tube Boiler of 12 TPH capacity		
3	Project cost & fees	250 crores (Fees deposit - Rs 3,50,000/- (under Air & Water Acts))		
4	Raw material and quantity	List enclosed		
5	Water consumption	Source - SIDC		
	a. Industrial	509 m ³ /day		
	b. Domestic	159 m ³ /day		
6	Waste Water generation			
	a. Industrial	452 m ³ /day		
	b. Domestic	93 m ³ /day		
7	Pollution control measures			
	Industrial	Effluent Treatment Plant		
	Domestic	Sewage Treatment Plant		
8	Source of Air Pollution & Control equipment	Boiler - 12 TPH (Stack - 48 mt.) (Fuel - FO) Incinerator (Fuel - HSD) (Stack -		
9	Comments of R.O.	R.O. recommended for Permission to Establish for expansion.		

Feed Back Sheet

1	Name of Officer/ Designation	H.S. Malviya 85
2	Date of Discussion	17.8.16
3	Query raised Suggestions/ Recommendations	<p>May be considered with condition of proper stack height for SO₂ dispersion</p> <p style="text-align: right;"></p>

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark
1	Name of the industry and location	M/s. Lupin Ltd. (Unit-13) Plot No. 198-202, New Indls. Area no. 2, Mandideep
2	Name of product	Name of Product Exist. Cap. Prop. Cap.
		List enclosed
		Installation of Fire Tube Boiler of 12 TPH capacity
3	Project cost & fees	250 crores (Fees deposit - Rs 3,50,000/- (under Air & Water Acts))
4	Raw material and quantity	List enclosed
5	Water consumption	Source - SIDC
	a. Industrial	509 m ³ /day
	b. Domestic	159 m ³ /day
6	Waste Water generation	
	a. Industrial	452 m ³ /day
	b. Domestic	93 m ³ /day
7	Pollution control measures	
	Industrial	Effluent Treatment Plant
	Domestic	Sewage Treatment Plant
8	Source of Air Pollution & Control equipment	Boiler - 12 TPH (Stack - 48 mt.) (Fuel - FO) Incinerator (Fuel - HSD) (Stack -
9	Comments of R.O.	R.O. recommended for Permission to Establish for expansion.

Feed Back Sheet

1	Name of Officer/ Designation	M. K. Mandnani SE
2	Date of Discussion	17/5/16
3	Query raised Suggestions/ Recommendations	Case may be consider as per recommendation of RO.

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark		
1	Name of the industry and location	M/s. Lupin Ltd. (Unit-13) Plot No. 198-202, New Indls. Area no. 2, Mandideep		
2	Name of product	Name of Product	Exist. Cap.	Prop. Cap.
		List enclosed		
		Installation of Fire Tube Boiler of 12 TPH capacity		
3	Project cost & fees	250 crores (Fees deposit - Rs 3,50,000/- (under Air & Water Acts))		
4	Raw material and quantity	List enclosed		
5	Water consumption	Source - SIDC		
	a. Industrial	509 m ³ /day		
	b. Domestic	159 m ³ /day		
6	Waste Water generation			
	a. Industrial	452 m ³ /day		
	b. Domestic	93 m ³ /day		
7	Pollution control measures			
	Industrial	Effluent Treatment Plant		
	Domestic	Sewage Treatment Plant		
8	Source of Air Pollution & Control equipment	Boiler - 12 TPH (Stack - 48 mt.) (Fuel - FO) Incinerator (Fuel - HSD) (Stack -		
9	Comments of R.O.	R.O. recommended for Permission to Establish for expansion.		

Feed Back Sheet

1	Name of Officer/ Designation	<i>V.S. Rai S.E.</i>
2	Date of Discussion	<i>17-6-16</i>
3	Query raised Suggestions/ Recommendations	<i>CTE For Fire Tube Boiler-12TPH may be consider as recommended by R.O.</i>


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark
1	Name of the industry and location	M/s. Lupin Ltd. (Unit-13) Plot No. 198-202, New Indis. Area no. 2, Mandideep
2	Name of product	Name of Product
		Exist. Cap.
		Prop. Cap.
List enclosed		
Installation of Fire Tube Boiler of 12 TPH capacity		
3	Project cost & fees	250 crores (Fees deposit - Rs 3,50,000/- (under Air & Water Acts))
4	Raw material and quantity	List enclosed
5	Water consumption	Source - SIDC
	a. Industrial	509 m ³ /day
	b. Domestic	159 m ³ /day
6	Waste Water generation	
	a. Industrial	452 m ³ /day
	b. Domestic	93 m ³ /day
7	Pollution control measures	
	Industrial	Effluent Treatment Plant
	Domestic	Sewage Treatment Plant
8	Source of Air Pollution & Control equipment	Boiler - 12 TPH (Stack - 48 mt.) (Fuel - FO) Incinerator (Fuel - HSD) (Stack -
9	Comments of R.O.	R.O. recommended for Permission to Establish for expansion.

Feed Back Sheet

1	Name of Officer/ Designation	B. Sharma, EE
2	Date of Discussion	17/06/16.
3	Query raised Suggestions/ Recommendations	Case may be considered as per the recommendations of Rg, Bhopal for the facility/Activity.


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark
1	Name of the industry and location	M/s. Lupin Ltd. (Unit-13) Plot No. 198-202, New Indls. Area no. 2, Mandideep
2	Name of product	Name of Product Exist. Cap. Prop. Cap.
		List enclosed
		Installation of Fire Tube Boiler of 12 TPH capacity
3	Project cost & fees	250 crores (Fees deposit - Rs 3,50,000/- (under Air & Water Acts))
4	Raw material and quantity	List enclosed
5	Water consumption	Source - SIDC
	a. Industrial	509 m ³ /day
	b. Domestic	159 m ³ /day
6	Waste Water generation	
	a. Industrial	452 m ³ /day
	b. Domestic	93 m ³ /day
7	Pollution control measures	
	Industrial	Effluent Treatment Plant
	Domestic	Sewage Treatment Plant
8	Source of Air Pollution & Control equipment	Boiler - 12 TPH (Stack - 48 mt.) (Fuel - FO) Incinerator (Fuel - HSD) (Stack -
9	Comments of R.O.	R.O. recommended for Permission to Establish for expansion.

Feed Back Sheet

1	Name of Officer/ Designation	<i>Smt. I.S.Khan E.E.</i>
2	Date of Discussion	<i>17/06/2016</i>
3	Query raised Suggestions/ Recommendations	<i>- case may be consider as per R.O. recommendation,</i>


(Signature)



Online Processing Sheet for CTE-CCA (Grant/Reject)

To be PutUp to Chairman / Member Secretary / Unit Heads by the appropriate level

MP Waste Management Project (Division Of Ramkey Enviro Engineers (P) Ltd.,) (17649),
Plot No. 104, Industrial Area No.2,
Pithampur, Dhar ,
-- 454775
DIST : Dhar, TAL : Dhar, SIDC : S-U I/E

On Date : 16/06/2016

Inward : 155567
Date : 17/04/2016
(CCA-Expansion)

Applying For : H Validity : 5 Years Category : RED Scale : MEDIUM
Air Sector : 0 W.W.C. (Klpd): 35.000 (Ind) 15.000 (Dom)
Haz Sector : 0 W.W.G. (Klpd): 6.000 (Ind) 4.000 (Dom)
Investment Air Water Hazardous
41.51 Crs x 0 x 0 +50000 x 0
Payable Fees : Air : 0, Water : 0, Haz : 0 No of Plants : 1 Incenerator : 0

Paid Amount : 50000, DD No : FUPG4411900204, Dt: 11/04/2016, at UPG , 201604117797479

Online Appln,PDFs,Catg,Scale,Fees Scrutinized by : H.K.SHARMA,S.E.[1115]

Inspection Team :

Unit	RO/HO	Inv @ HO	Unit Hl	Haz/Brn	To: M/S	Chairman	Decision Dt
14/05/2016	18/05/2016	26/05/2016	26/05/2016		25/05/2016		

Online Appln (Queries to Industry & Replies)

Online Scrutiny: 155567-28/01/2016 , After 80 Days

Query On: 01/04/2016	Kindly specify the rule under which the application has been made? No fees has been selected for payment? Kindly upload your letter dated 7/10/15? Update your profile at point no 6,7,9 & 14?[01/02/2016-1115]~10/02/2016- Kindly upload required files : c.~ETP. Latest consent and authorisation be loaded atW form 4 and investment proof be uplod as on 31/3/15. Investment to be correctly entered->[11/02/2016-1115]~Please fill proper investment details and fees in your application [15/03/2016-1115]~Fees has been changed to Rs 50000/. Kindly upload latest copies of the consents and authorisation, investment proof, HW annual returns as well as Env Statement as on 31/3/15, details of incinerable waste disposed in year12-13 up to 14-15.[23/03/2016-1115]~[01/04/2016-1115]
Reply On: 07/04/2016	Dear Sir,We have uploaded rules, fees details & letter for your kind reference.Regards,Saurabh [01/02/2016]~Dear Sir,We have uploaded all data as per requirement.Regards,Saurabh [04/03/2016]~Dear Sir,We have applied under the Hazardous waste Management rules, 2008 (Chapter -IV: Import & Export of hazardous waste) & uploaded letter dated on 07.10.15 and complete all points.Investment proof to be submitted tomorrow. WE have selected fees Rs. 5000/- .Regards,Saurabh [17/03/2016]~Sir,We have uploaded all doc. kindly approve.Regards,Saurabh [31/03/2016]~Dear Sir,We will uploaded all data and will submit fees 50000/- .Regards,saurabh [07/04/2016]

Inspection@ RO (240292)

The report is being e mailed to the unit head as the size is more than 400 KB [1115]-18/05/2016~ RO Comments/Reply :Thick smoke not observed, kindly ignore. IR being e mailed to UNH / I recommend :May be GRANTED (After making necessary verification; I agree with inspecting officer; hence issuance / renewal of Authorization to the Industry is recommended as per the provisions of Rule 5(4) of the Hazardous Wastes (Management & Handling & Transboundary Movement) Rules 2008.)~I Certify this unit is Watercess Paid-18/05/2016
W.C Notings: The water in take from AKVN in April 2016 was 2090 KL[1115-ROH]~
Grant/Reject Comments:

R.O Head (Queries to Staff)

R.O Staff (Queries to Industry & Replies by Industry)

Query On: 17/05/2016	Please provide year wise data of the waste incinerated since the beginning of the incinerator
Reply On: 25/05/2016	Dear Sir,We have uploaded data.Regards,Saurabh [25/05/2016]

Query@HO:

BRIEF PROFILE OF THE INDUSTRY

(Permission for interstate transboundary of hazardous waste)

S.	Description	Remark
1	Name of the industry and location	M/s. M.P. Waste Management Project (Division of Ramkey Enviro Engineers (P) Ltd.) Plot No. 104, Industrial Area no. 2, Pithampur, dist. Dhar
2	Activity	Secured Landfill Site, Treatment/Stabilization & Incineration
3	Project cost & fees	41.51 crores (Fees deposit - Rs 5,000/- (under Haz. Waste Auth.))
4	Issue for discussion	✓ Interstate Transboundary Authorization for collection, transportation and disposal of incinerable with waste HW)

Feed Back Sheet

1	Name of Officer/ Designation	V.K. Ahirwar CE
2	Date of Discussion	17/6/2016
3	Query raised Suggestions/ Recommendations	<p>online</p> <p>+ Tracking of HZ waste from other states is must.</p> <p>+ capacity assessment of facility from third party is recommended.</p> <p>+ we must take state host in confidence as during Union Carbide proposal which was to be shifted to Gujrat in absence of facility at Indore, there was refusal</p>

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission for interstate transboundary of hazardous waste)

S.	Description	Remark
1	Name of the industry and location	M/s. M.P. Waste Management Project (Division of Ramkey Enviro Engineers (P) Ltd.) Plot No. 104, Industrial Area no. 2, Pithampur, dist. Dhar
2	Activity	Secured Landfill Site, Treatment/Stabilization & Incineration
3	Project cost & fees	41.51 crores (Fees deposit - Rs 5,000/- (under Haz. Waste Auth.)
4	Issue for discussion	✓ Interstate Transboundary Authorization for collection, transportation and disposal of incinerable with waste HW)

Feed Back Sheet

1	Name of Officer/ Designation	M.L. Patel S.E.
2	Date of Discussion	17/6/16
3	Query raised Suggestions/ Recommendations	<p>may be considered with the condition to obtain permission and authorization by the individual industry. The permission to the facility shall not be considered the open permission to all waste generation units.</p>

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission for interstate transboundary of hazardous waste)

S.	Description	Remark
1	Name of the industry and location	M/s. M.P. Waste Management Project (Division of Ramkey Enviro Engineers (P) Ltd.) Plot No. 104, Industrial Area no. 2, Pithampur, dist. Dhar
2	Activity	Secured Landfill Site, Treatment/Stabilization & Incineration
3	Project cost & fees	41.51 crores (Fees deposit - Rs 5,000/- (under Haz. Waste Auth.)
4	Issue for discussion	✓ Interstate Transboundary Authorization for collection, transportation and disposal of incinerable with waste HW)

Feed Back Sheet

1	Name of Officer/ Designation	Abhay Saraf SE
2	Date of Discussion	17/06/16
3	Query raised Suggestions/ Recommendations	Case may be decided as per the provision of H.W. Rules 2016.

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission for interstate transboundary of hazardous waste)

S.	Description	Remark
1	Name of the industry and location	M/s. M.P. Waste Management Project (Division of Ramkey Enviro Engineers (P) Ltd.) Plot No. 104, Industrial Area no. 2, Pithampur, dist. Dhar
2	Activity	Secured Landfill Site, Treatment/Stabilization & Incineration
3	Project cost & fees	41.51 crores (Fees deposit - Rs 5,000/- (under Haz. Waste Auth.))
4	Issue for discussion	✓ Interstate Transboundary Authorization for collection, transportation and disposal of incinerable with waste HW)

Feed Back Sheet

1	Name of Officer/ Designation	H.S. Mahiya 8E
2	Date of Discussion	12.6.16
3	Query raised Suggestions/ Recommendations	In principle consent may be given looking to presentation of facts presented by PPs with conditions that each unit satisfy their wants shall be obtained for Both the units.


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission for interstate transboundary of hazardous waste)

S.	Description	Remark
1	Name of the industry and location	M/s. M.P. Waste Management Project (Division of Ramkey Enviro Engineers (P) Ltd.) Plot No. 104, Industrial Area no. 2, Pithampur, dist. Dhar
2	Activity	Secured Landfill Site, Treatment/Stabilization & Incineration
3	Project cost & fees	41.51 crores (Fees deposit - Rs 5,000/- (under Haz. Waste Auth.))
4	Issue for discussion	✓ Interstate Transboundary Authorization for collection, transportation and disposal of incinerable with waste HW)

Feed Back Sheet

1	Name of Officer/ Designation	M. K. Mondra SE
2	Date of Discussion	17/6/16
3	Query raised Suggestions/ Recommendations	Case may be considered as per provision of H & OW Rules 2016 & as per recommendation of RO.



(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission for interstate transboundary of hazardous waste)

S.	Description	Remark
1	Name of the industry and location	M/s. M.P. Waste Management Project (Division of Ramkey Enviro Engineers (P) Ltd.) Plot No. 104, Industrial Area no. 2, Pithampur, dist. Dhar
2	Activity	Secured Landfill Site, Treatment/Stabilization & Incineration
3	Project cost & fees	41.51 crores (Fees deposit - Rs 5,000/- (under Haz. Waste Auth.)
4	Issue for discussion	✓ Interstate Transboundary Authorization for collection, transportation and disposal of incinerable with waste HW)

Feed Back Sheet

1	Name of Officer/ Designation	B. Sharma, EE
2	Date of Discussion	17/06/2016
3	Query raised Suggestions/ Recommendations	<p>The case of interstate transboundary transportation of incinerable waste may be considered as per the provision of HW & other waste Rule 2016 and as per the recommendation of R.O. Dhar.</p> 



(Signature)


BRIEF PROFILE OF THE INDUSTRY

(Permission for interstate transboundary of hazardous waste)

S.	Description	Remark
1	Name of the industry and location	M/s. M.P. Waste Management Project (Division of Ramkey Enviro Engineers (P) Ltd.) Plot No. 104, Industrial Area no. 2, Pithampur, dist. Dhar
2	Activity	Secured Landfill Site, Treatment/Stabilization & Incineration
3	Project cost & fees	41.51 crores (Fees deposit - Rs 5,000/- (under Haz. Waste Auth.))
4	Issue for discussion	✓ Interstate Transboundary Authorization for collection, transportation and disposal of incinerable with waste HW)

Feed Back Sheet

1	Name of Officer/ Designation	Smt. I.S.Khan E.E.
2	Date of Discussion	17/06/2016
3	Query raised Suggestions/ Recommendations	- case may be considere as per recommended, by RO. 



(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission for interstate transboundary of hazardous waste)

S.	Description	Remark
1	Name of the industry and location	M/s. M.P. Waste Management Project (Division of Ramkey Enviro Engineers (P) Ltd.) Plot No. 104, Industrial Area no. 2, Pithampur, dist. Dhar
2	Activity	Secured Landfill Site, Treatment/Stabilization & Incineration
3	Project cost & fees	41.51 crores (Fees deposit - Rs 5,000/- (under Haz. Waste Auth.))
4	Issue for discussion	✓ Interstate Transboundary Authorization for collection, transportation and disposal of incinerable with waste HW)

Feed Back Sheet

1	Name of Officer/ Designation	D.K. Jain ER
2	Date of Discussion	17/6/16
3	Query raised Suggestions/ Recommendations	<p>— each unit will obtained NoC from M.P. Pollution Control Board</p> <p>— case may be considered as per RO Recommendation</p> 

(Signature)



Online Processing Sheet for CTE-CCA (Grant/Reject)

To be PutUp to Chairman / Member Secretary / Unit Heads by the appropriate level

Hariyali Retreat (Plotted Project) By Speed Infrastructure Ind (P) Ltd., Bhopal (96871),
PLOT NO:415,416,417,418,529,530,531,532,534,533,
Village - Kalapani, Tehsil - Huzur, Distt. Bhopal, Village - Kalapani, Tehsil - Huzur,
Distt. Bhopal,
Kalapani - 462023
DIST : Bhopal, TAL : Hujur, SIDC : Not In SIDC

On Date : 13/06/2016

Inward : 208705
Date : 10/05/2016
(CTE-Fresh)

Applying For : A,W

Validity : 1 Years

Category : RED

Scale : MEDIUM

Air Sector : 0

W.W.C. (Klpd): 0.000 (Ind) 141.000 (Dom)

Haz Sector : 0

W.W.G. (Klpd): 0.000 (Ind) 113.000 (Dom)

Investment

Air

Water

Hazardous

2.96 Crs

x 0

x 0

+0 x 0

Payable Fees : Air : 0, Water : 0, Haz : 0

No of Plants : 1 Incenerator : 0

Paid Amount : 30000, DD No : FBBC4466933130, Dt: 07/05/2016, at BBC , 47378598

Online Appln,PDFs,Catg,Scale,Fees Scrutinized by : A.C.KARERA,CC.[1231]

Inspection Team :

Insp. Dt.	To RO/HO	Inw @ HO	To Unit Hd	Hazd Brn	To M.S	Chairman	Decision Dt
02/06/2016	13/06/2016	13/06/2016					

Online Appln (Queries to Industry & Replies)

Online Scrutiny: 208705-02/05/2016 , After 8 Days

Query On: [03/05/2016-1231]

03/05/2016

Reply On:

Inspection@ RO (251206)

This is a residential project comprising plotted development only. However, Town & Country Planning Department has approved the lay out plan vide letter no. 651 / 654 dated 28/08/2015 for plotted development and construction of multi-storeyed buildings. The project is proposed at Khasra no. 415, 416, 417, 418, 529, 530, 531, 532, 534 and 533, Village Kalapani, Tehsil Huzur District Bhopal. Total plot area proposed in the project is reported to be 13.98 Ha with total residential units to be 314. Total water requirement in the project is estimated to be 212 KLD. Water shall be sourced from the Bhopal Municipal Corporation. Waste water requirement in the project shall be 140 KLD the same shall be treated, through MBBR based STP having capacity of 150 KLD. MSW estimated from the project when operational is reported to be 0.809 T / Day. The same shall be disposed off through Municipal Corporation. The project cost is reported to be Rs 2 Crore 96 thousand only; accordingly the consent fee deposited by the developer is Rs 30000=00. Scrutiny of the documents and the site visit reveals that the major component in the project is land and the cost of the same has not been included in the project cost. Hence the matter may be reviewed with regard to project cost vis-a-vis consent fee. The project may be considered for grant of CTE for plotted development only after justification for the project cost and the deposited consent fee. In case construction of 20000 m2 or more is proposed or planned in the project prior EC shall be obtained from competent authority and produced at the time of CTO. [1231]-07/06/2016~ RO Comments/Reply : / I recommend :May be GRANTED~I Certify this unit is Watercess Defaulter-13/06/2016

W.C Notings:

Grant/Reject Comments:

R.O Head (Queries to Staff)

R.O Staff (Queries to Industry & Replies by Industry)

Query@HO:

Certified By: 0~1299-13/06/2016~0~0

Comments @ HO

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Speed Infrastructure Ind Pvt. Ltd. (Hariyali Retreat) Village: Kalapani, Tehsil: Huzur, Dist. Bhopal
2	Activity	Plotted Development Project (314 units)
3	Area of project	Total land area – 13.98 hac.
4	Project cost & fees	2.96 crores (Fees deposit - 30,000 (under Air & Water Acts)
5	Total water consumption	141 m ³ /day (Domestic) Source - Borewell
6	Waste water generation	113 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	NA
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	V K Ahlawat CE
2	Date of Discussion	17/6/2016
3	Query raised/ Suggestions/ Recommendations	+ cost of land is not included as indicated in IR. + There is indication of EC in IR, clarification is required.

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Speed Infrastructure Ind Pvt. Ltd. (Hariyali Retreat) Village: Kalapani, Tehsil: Huzur, Dist. Bhopal
2	Activity	Plotted Development Project (314 units)
3	Area of project	Total land area – 13.98 hac.
4	Project cost & fees	2.96 crores (Fees deposit - 30,000 (under Air & Water Acts))
5	Total water consumption	141 m ³ /day (Domestic) Source - Borewell
6	Waste water generation	113 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	NA
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	M. L. Patel S.E.
2	Date of Discussion	17/6/16
3	Query raised/ Suggestions/ Recommendations	✓ fee shall be submitted including the cost of land in the total investment.


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Speed Infrastructure Ind Pvt. Ltd. (Hariyali Retreat) Village: Kalapani, Tehsil: Huzur, Dist. Bhopal
2	Activity	Plotted Development Project (314 units)
3	Area of project	Total land area - 13.98 hac.
4	Project cost & fees	2.96 crores (Fees deposit - 30,000 (under Air & Water Acts))
5	Total water consumption	141 m ³ /day (Domestic) Source - Borewell
6	Waste water generation	113 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	NA
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	Abhay Saraf SE
2	Date of Discussion	17/06/16
3	Query raised/ Suggestions/ Recommendations	Fees ^{and other points} should be checked. at unit head level in ref. to R.O. report

(Signature) 

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Speed Infrastructure Ind Pvt. Ltd. (Hariyali Retreat) Village: Kalapani, Tehsil: Huzur, Dist. Bhopal
2	Activity	Plotted Development Project (314 units)
3	Area of project	Total land area – 13.98 hac.
4	Project cost & fees	2.96 crores (Fees deposit - 30,000 (under Air & Water Acts))
5	Total water consumption	141 m ³ /day (Domestic) Source - Borewell
6	Waste water generation	113 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	NA
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	H.S. Maniyya SE
2	Date of Discussion	17.6.16
3	Query raised/ Suggestions/ Recommendations	<p>— Cost of the project to be reassessed & revised fee may be obtained (if required)</p> <p>— Maybe considered after new fee.</p>


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Speed Infrastructure Ind Pvt. Ltd. (Hariyali Retreat) Village: Kalapani, Tehsil: Huzur, Dist. Bhopal
2	Activity	Plotted Development Project (314 units)
3	Area of project	Total land area – 13.98 hac.
4	Project cost & fees	2.96 crores (Fees deposit - 30,000 (under Air & Water Acts)
5	Total water consumption	141 m ³ /day (Domestic) Source - Borewell
6	Waste water generation	113 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	NA
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	M. K. Mondraji SE
2	Date of Discussion	17/6/16
3	Query raised/ Suggestions/ Recommendations	case may be consider after submission of balance fee. 


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Speed Infrastructure Ind Pvt. Ltd. (Hariyali Retreat) Village: Kalapani, Tehsil: Huzur, Dist. Bhopal
2	Activity	Plotted Development Project (314 units)
3	Area of project	Total land area – 13.98 hac.
4	Project cost & fees	2.96 crores (Fees deposit - 30,000 (under Air & Water Acts))
5	Total water consumption	141 m ³ /day (Domestic) Source - Borewell
6	Waste water generation	113 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	NA
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	V.S. Rai SE
2	Date of Discussion	17-6-16
3	Query raised/ Suggestions/ Recommendations	<p>- C.T.E maybe consider as recommendation for R.O.</p> <p>- balance fee deposit in per. overall cost to project -</p> <p style="text-align: right;"></p>


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Speed Infrastructure Ind Pvt. Ltd. (Hariyali Retreat) Village: Kalapani, Tehsil: Huzur, Dist. Bhopal
2	Activity	Plotted Development Project (314 units)
3	Area of project	Total land area – 13.98 hac.
4	Project cost & fees	2.96 crores (Fees deposit - 30,000 (under Air & Water Acts))
5	Total water consumption	141 m ³ /day (Domestic) Source - Borewell
6	Waste water generation	113 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	NA
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	B. Sharma, EG
2	Date of Discussion	17/06/16
3	Query raised/ Suggestions/ Recommendations	<ul style="list-style-type: none">- Proper Solid waste management- May be considered as per the recommendations of R.O, Bhopal. <div style="text-align: right; margin-top: 100px;"></div>


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Speed Infrastructure Ind Pvt. Ltd. (Hariyali Retreat) Village: Kalapani, Tehsil: Huzur, Dist. Bhopal
2	Activity	Plotted Development Project (314 units)
3	Area of project	Total land area – 13.98 hac.
4	Project cost & fees	2.96 crores (Fees deposit - 30,000 (under Air & Water Acts)
5	Total water consumption	141 m ³ /day (Domestic) Source - Borewell
6	Waste water generation	113 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	NA
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	Smt. I.S. Khera EE
2	Date of Discussion	17/06/2016
3	Query raised/ Suggestions/ Recommendations	- pl. fee deposite. as per R.O. Borrow - Investment - fees is not proper - 

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Speed Infrastructure Ind Pvt. Ltd. (Hariyali Retreat) Village: Kalapani, Tehsil: Huzur, Dist. Bhopal
2	Activity	Plotted Development Project (314 units)
3	Area of project	Total land area – 13.98 hac.
4	Project cost & fees	2.96 crores (Fees deposit - 30,000 (under Air & Water Acts)
5	Total water consumption	141 m ³ /day (Domestic) Source - Borewell
6	Waste water generation	113 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	NA
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	<i>21c. Jain ER</i>
2	Date of Discussion	<i>17/4/16</i>
3	Query raised/ Suggestions/ Recommendations	<i>- clarify the investment and accounting fees.</i>

[Signature]
(Signature)



Online Processing Sheet for CTE-CCA (Grant/Reject)

To be Put Up to Chairman / Member Secretary / Unit Heads by the appropriate level

West End Avenue By Danish Housing Co.Op. Society Ltd., Bhopal (96883),
PLOT NO:Khasra No.- 69,
Damkheda Kolar Road, Bhopal, ,
Damkheda - 462042
DIST : Bhopal, TAL : Hujur, SIDC : Not In SIDC

On Date : 13/06/2016

Inward : 219182
Date : 26/05/2016
(CTE-Fresh)

Applying For : A,W,H Validity : 5 Years Category : RED Scale : LARGE
Air Sector : 0 W.W.C. (Klpd): 0.000 (Ind) 131.000 (Dom)
Haz Sector : 0 W.W.G. (Klpd): 0.000 (Ind) 112.000 (Dom)
Investment Air Water Hazardous
49.83 Crs x 0 x 0 +50000 x 0
Payable Fees : Air : 0, Water : 0, Haz : 0 No of Plants : 1 Incenerator : 0
Paid Amount : 230000, DD No : FDEN4506127844, Dt: 26/05/2016, at DEN , 5137386

Online Appln,PDFs,Catg,Scale,Fees Scrutinized by : A.C.KARERA,CC.[1231]

Inspection Team :

Appn Dt.	To RO/HO	Inv @ HO	To Unit Hd	Hazd Brn	To MS	Chairman	Decision Dt.
27/05/2016	13/06/2016	13/06/2016					

Online Appln (Queries to Industry & Replies)

Online Scrutiny: 219182-19/05/2016 , After 7 Days

Query On: 25/05/2016	Please submit the distance of the project boundary from the HFL of River Kaliyasot duly certified from competent authority along with the compliance of the Directions of NGT w.r.t. the distance of the project boundary from the HFL of River Kaliyasot on an affidavit.[23/05/2016-1231]-[25/05/2016-1231]
Reply On: 23/05/2016	The Project doesn't lie under 33 m range of Kaliyasot waste weir drain or its HFL, Its approx 300 mts away from Kaliyasot waste water weir drain. [23/05/2016]

Inspection@ RO (250890)

This is case for fresh CTE. Location- The project is located at Khasra No.- 69 , Damkheda Kolar Road, Bhopal , Tehsil Huzur, Bhopal (M.P). Project- The project pertains to construction of residential units. Total plot area in the project is 15380 m2. The project comprises construction of duplexes- 168, EWS- 16 and LIG- 10. Total built-up area in the project shall be 21046.5 m2. Thus, by virtue of size of the project it requires prior EC from MPSEIAA before commencement. The project cost as reported is Rs 4982.6 lac, the proponents have deposited Rs 1,80,000 towards the consent fee and RS 50000 towards administrative charges for HW authorization.. The project activities were initiated before obtaining EC and CTE thus a Court Case has been filed against the project proponents in the court of CJM Bhopal. Power back of 125 kVA through DG set is proposed in the project. The DG sets shall have acoustic enclosure and muffler as APCM. Water- Water requirement in the project shall be about 131 KLD which is proposed to be sourced from Municipal Corporation. Domestic waste-water expected to generate from the project when fully operation is 112 KLD. STP with MBBR concept has been proposed in the project with total capacity of 150 KLD. Green area / Landscaping- Peripheral tree plantation is proposed in the project in addition to the mandatory open / green area as prescribed in the TNCP norms. Presently the site has only been protected through construction of temporary fencing and a gate. Based on the merits of the project and the observations the case may be considered for grant of CTE subject to the condition that, (1) Outcome of the court case shall be binding on part of the proponent and (2) Prior EC from the competent authority as per the provisions of EIA notification of MoEF and shall submit the same at the time of CTO. [1231]-08/06/2016~ RO Comments/Reply : / I recommend :May be GRANTED (After making necessary verification; I agree with inspecting officer; hence issuance / renewal of Authorization to the Industry is recommended as per the provisions of Rule 5(4) of the Hazardous Wastes (Management & Handling & Transboundary Movement) Rules 2008.)-I Certify this unit is Watercess Defaulter-13/06/2016

W.C Notings:

Grant/Reject Comments:

R.O Head (Queries to Staff)

R.O Staff (Queries to Industry & Replies by Industry)

Query@HO:


Certified By: 0~1299-13/06/2016~0~0

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Danish Housing Coop Society Ltd. (West End Avenue) Village: Damkheda, Kolar Road, Bhopal
2	Activity	Residential Unit Construction Project
3	Area of project	Total plot area – 15380 sq.mt. Total builtup area – 21046.50 sq.mt.
4	Project cost & fees	49.83 crores (Fees deposit - 2,30,000 (under Air & Water Acts & HW Auth.)
5	Total water consumption	131 m ³ /day (Domestic) Source – Local body
6	Waste water generation	112 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	D.G. Set – 125 KVA (Fuel – HSD) (Stack – 34 mt.)
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	M. L. Patel S.E
2	Date of Discussion	17/6/16
3	Query raised/ Suggestions/ Recommendations	May be considered as recommended by RO 


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Danish Housing Coop Society Ltd. (West End Avenue) Village: Damkheda, Kolar Road, Bhopal
2	Activity	Residential Unit Construction Project
3	Area of project	Total plot area – 15380 sq.mt. Total builtup area – 21046.50 sq.mt.
4	Project cost & fees	49.83 crores (Fees deposit - 2,30,000 (under Air & Water Acts & HW Auth.))
5	Total water consumption	131 m ³ /day (Domestic) Source – Local body
6	Waste water generation	112 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	D.G. Set – 125 KVA (Fuel – HSD) (Stack – 34 mt.)
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	Abhay Saraf <i>SE.</i>
2	Date of Discussion	17/06/16
3	Query raised/ Suggestions/ Recommendations	PP shall provide dual plumbing system. MSW shall be disposed as per SWM rules 2016.


(Signature) 

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Danish Housing Coop Society Ltd. (West End Avenue) Village: Damkheda, Kolar Road, Bhopal
2	Activity	Residential Unit Construction Project
3	Area of project	Total plot area – 15380 sq.mt. Total builtup area – 21046.50 sq.mt.
4	Project cost & fees	49.83 crores (Fees deposit - 2,30,000 (under Air & Water Acts & HW Auth.))
5	Total water consumption	131 m ³ /day (Domestic) Source – Local body
6	Waste water generation	112 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	D.G. Set – 125 KVA (Fuel – HSD) (Stack – 34 mt.)
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	H-S. Mahesya, SE
2	Date of Discussion	17.6.16
3	Query raised/ Suggestions/ Recommendations	May be considered as recommended by Ro. 


(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Danish Housing Coop Society Ltd. (West End Avenue) Village: Damkheda, Kolar Road, Bhopal
2	Activity	Residential Unit Construction Project
3	Area of project	Total plot area – 15380 sq.mt. Total builtup area – 21046.50 sq.mt.
4	Project cost & fees	49.83 crores (Fees deposit - 2,30,000 (under Air & Water Acts & HW Auth.)
5	Total water consumption	131 m ³ /day (Domestic) Source – Local body
6	Waste water generation	112 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	D.G. Set – 125 KVA (Fuel – HSD) (Stack – 34 mt.)
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	M. K. Mandhavi SE
2	Date of Discussion	17/6/16
3	Query raised/ Suggestions/ Recommendations	case may be consider as per recommendation of RO. 

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Danish Housing Coop Society Ltd. (West End Avenue) Village: Damkheda, Kolar Road, Bhopal
2	Activity	Residential Unit Construction Project
3	Area of project	Total plot area – 15380 sq.mt. Total builtup area – 21046.50 sq.mt.
4	Project cost & fees	49.83 crores (Fees deposit - 2,30,000 (under Air & Water Acts & HW Auth.)
5	Total water consumption	131 m ³ /day (Domestic) Source – Local body
6	Waste water generation	112 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	D.G. Set – 125 KVA (Fuel – HSD) (Stack – 34 mt.)
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	B. Sharma, EE
2	Date of Discussion	17/06/16
3	Query raised/ Suggestions/ Recommendations	<ul style="list-style-type: none">- As per the provision of EIA Notification 2006 Obtain Environment Clearance.- Super Solid waste management.- Dual Plumbing.- May be considered as per the recommendation of RO, Bhopal.



(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Danish Housing Coop Society Ltd. (West End Avenue) Village: Damkheda, Kolar Road, Bhopal
2	Activity	Residential Unit Construction Project
3	Area of project	Total plot area – 15380 sq.mt. Total builtup area – 21046.50 sq.mt.
4	Project cost & fees	49.83 crores (Fees deposit - 2,30,000 (under Air & Water Acts & HW Auth.)
5	Total water consumption	131 m ³ /day (Domestic) Source – Local body
6	Waste water generation	112 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	D.G. Set – 125 KVA (Fuel – HSD) (Stack – 34 mt.)
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	<i>Shri I.S. Khan, E.E.</i>
2	Date of Discussion	<i>17/06/2016.</i>
3	Query raised/ Suggestions/ Recommendations	<i>case may be considered as per R.O. recommendation for PTE.</i> 

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish)

S.	Description	Remark
1	Name of the project and location	M/s. Danish Housing Coop Society Ltd. (West End Avenue) Village: Damkheda, Kolar Road, Bhopal
2	Activity	Residential Unit Construction Project
3	Area of project	Total plot area - 15380 sq.mt. Total builtup area - 21046.50 sq.mt.
4	Project cost & fees	49.83 crores (Fees deposit - 2,30,000 (under Air & Water Acts & HW Auth.))
5	Total water consumption	131 m ³ /day (Domestic) Source - Local body
6	Waste water generation	112 m ³ /day (Domestic)
7	Water pollution control arrangement	Sewage Treatment Plant of 150 KLD capacity (proposed)
8	Air Pollution control measures arrangement	D.G. Set - 125 KVA (Fuel - HSD) (Stack - 34 mt.)
9	R.O. recommendation	R.O. has recommended for Permission to Establish.

Feed Back Sheet

1	Name of Officer/Designation	D.K. Jain ER
2	Date of Discussion	17/6/16
3	Query raised/ Suggestions/ Recommendations	<p>- pop shall provide MSW Processing Plant, Dual Plumber system -</p> <p>- case may be considered as per R.O. Recommendation</p>


(Signature)



Online Processing Sheet for CTE-CCA (Grant/Reject)

To be PutUp to Chairman / Member Secretary / Unit Heads by the appropriate level

Majestic Basmati Rice Private Limited (32628),
PLOT NO. 14,
NEW INDUSTRIAL AREA, PHASE-II, MANDIDEEP,
MANDIDEEP - 462046
DIST : Raisen, TAL : Goharganj, SIDC : Not In SIDC

On Date : 13/06/2016

Inward : 208956
Date : 08/06/2016
(CTE-Expansion)

Applying For : A,W,H **Validity :** 1 Years **Category :** RED **Scale :** MEDIUM
Air Sector : 0 **W.W.C. (Klpd):** 304.000 (Ind) 16.000 (Dom)
Haz Sector : 0 **W.W.G. (Klpd):** 122.000 (Ind) 8.000 (Dom)
Investment **Air** **Water** **Hazardous**
106.90 Crs x 0 x 0 +50000 x 0
Payable Fees : Air : 0, Water : 0, Haz : 0 **No of Plants :** 1 **Incenerator :** 0
Paid Amount : 50000, DD No : GICI4522862262, Dt: 03/06/2016, at ICI , 0980348952

Online Appln,PDFs,Catg,Scale,Fees Scrutinized by : PUSPENDRA SINGH,S.E.[1299]

Inspection Team :

Appn No	Appn Dt	Inspection Dt	Inspection By	Hazardous	W.W.C.	W.W.G.	Chairman	Decision Dt
10/06/2016	13/06/2016	13/06/2016						

Online Appln (Queries to Industry & Replies)

Online Scrutiny: 208956-11/05/2016, After 28 Days

Query On: 01/06/2016	Uploaded the details of zero discharge condition, fly ash and bag filter [16/05/2016-1299]~[01/06/2016-1299]
Reply On: 24/05/2016	WE HAVE MADE ARRANGEMENTS TO SPREAD THE FLY ASH OVER THE AGRICULTURAL LAND.BAG FILTER WILL BE INSTALLED SO CLEAN AIR IS DISCHARGED.EFFLUENT TREATMENT PLANT IS INSTALLED TO MEET THE THE REQUIREMENT OF ZERO DISCHARGE. WE HAVE ALREADY SUBMITTED THE PHOTOGRAPH AND SCHEMATIC DIAGRAM OF ETP AND RO PLANT ON 06.05.2016 AT YOUR OFFICE. [24/05/2016]

Inspection@ RO (251356)

It is a case of Permission to Establish for Expansion (Re-apply), the unit is located at Plot No. 14, New Industrial Area, Phase-II, Mandideep, Distt. Raisen (MP). The Permission to Establish already granted at RO Level as per DIC registration Part -I (Small-2) vide letter No. 6054 dated: 20.11.2014 for Rice & Paddy Processing, Rice Atta with capacity of 12000 MT/Year. Now the unit falls under the Medium - Orange category as per DIC registration (Medium - 3). The unit was inspected on 10.06.2016, at the time of inspection it was found that the construction works has been completed. Now the unit applied for permission to establish for expansion (Re-apply) for Rice Milling with capacity of 24000 MT/Year, Atta - 1000 MT/Year. The total workers at the unit will be 60 nos. and total water consumption is 320.00 KLD water shall be required in the Boiler feed, manufacturing process, domestic. The unit already installed ETP with capacity of 150 KLD and also installed RO system (common) for fresh water and effluent, the sewage from domestic activity shall be treated through septic-tank followed by a soak pit. The unit has installed Boiler with capacity of 10 Tonnes run as husk use as fuel and air pollution control system only dust collector & chimney. Following products are being manufactured in the unit :- Rice Milling - 24000 MT/Year, Atta - 1000 MT/Year, Generation of Electricity by D.G. Set (for captive use only) - 350 KVA.

The total project cost of the unit is near about 53.47 Crors and also deposited the fee of Rs. 2.25 Lacs through net banking at previous CTE expansion online application. Now, the unit deposited the fee of Rs. 50000/- for authorization under Hazardous Waste Rules. Based on submission and observations, the case may be recommended for consent to establish for expansion with conditions of separate RO system for effluent and bag filter for air pollution control and kind perusal.

[1128]-11/06/2016~ RO Comments/Reply : / I recommend :May be GRANTED (After making necessary verification; I agree with inspecting officer; hence issuance / renewal of Authorization to the Industry is recommended as per the provisions of Rule 5(4) of the Hazardous Wastes (Management & Handling & Transboundary Movement) Rules 2008.)-I Certify this unit is Watercess Defaulter-13/06/2016

W.C Notings: The total water consumption as per given in applications 320 KLD (only for boiler feed, manufacturing process, domestic and plantation/horticulture)[1128-DEE]~

Grant/Reject Comments:

R.O Head (Queries to Staff)

R.O Staff (Queries to Industry & Replies by Industry)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark		
1	Name of the industry and location	M/s. Majestic Basmati Rice Pvt. Ltd. Plot No. 14, New Indls. Area, Mandideep		
2	Name of product	Name of Product	Exist. Cap.	Prop. Cap.
		Atta	--	1000 MT/Year
		Rice & Paddy Processing, Rice Atta	12000 MT/Year	12000 MT/Year
		Rice Milling	--	24000 MT/year
		Generation of Electricity by D.G. Set (for captive use only)	350 KVA	350 KVA
3	Project cost & fees	106.90 crores (Fees deposit - Rs. 2,75,000/- (under Air & Water Acts & HW Auth))		
4	Raw material and quantity	Raw Rice.		
5	Water consumption	Source - Borewell		
	a. Industrial	304 m ³ /day		
	b. Domestic	16 m ³ /day		
6	Waste Water generation			
	a. Industrial	122 m ³ /day		
	b. Domestic	8.0 m ³ /day		
7	Pollution control measures			
	Industrial	NA		
	Domestic	NA		
8	Source of Air Pollution & Control equipment	Boiler - 10 TPH (Stack - 9 mt.) (Fuel - Husk)		
9	Comments of R.O.	R.O. has recommended for Permission to Establish for expansion.		

Feed Back Sheet

1	Name of Officer/ Designation	VIC Ahirwar CE
2	Date of Discussion	17/6/2016
3	Query raised Suggestions/ Recommendations	<p>Looking to the Effluent quantity, openland area is very less, hence RO for ETP treated water is must to ensure reuse of treated Effluent to the Maximum extent.</p> <p>+ As the boundary of plant is close to Agricultural fields, MOU can be signed with field owners to ensure use of treated Effluent for Agriculture.</p> <p>+ Bag filter is must.</p>

(Signature) 

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark		
1	Name of the industry and location	M/s. Majestic Basmati Rice Pvt. Ltd. Plot No. 14, New Indis. Area, Mandideep		
2	Name of product	Name of Product	Exist. Cap.	Prop. Cap.
		Atta	--	1000 MT/Year
		Rice & Paddy Processing, Rice Atta	12000 MT/Year	12000 MT/Year
		Rice Milling	--	24000 MT/year
		Generation of Electricity by D.G. Set (for captive use only)	350 KVA	350 KVA
3	Project cost & fees	106.90 crores (Fees deposit - Rs. 2,75,000/- (under Air & Water Acts & HW Auth)		
4	Raw material and quantity	Raw Rice.		
5	Water consumption	Source - Borewell		
	a. Industrial	304 m ³ /day		
	b. Domestic	16 m ³ /day		
6	Waste Water generation			
	a. Industrial	122 m ³ /day		
	b. Domestic	8.0 m ³ /day		
7	Pollution control measures			
	Industrial	NA		
	Domestic	NA		
8	Source of Air Pollution & Control equipment	Boiler - 10 TPH (Stack - 9 mt.) (Fuel - Husk)		
9	Comments of R.O.	R.O. has recommended for Permission to Establish for expansion.		

Feed Back Sheet

1	Name of Officer/ Designation	M. L. Patel S.E
2	Date of Discussion	17/6/16
3	Query raised Suggestions/ Recommendations	may be considered



(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark		
1	Name of the industry and location	M/s. Majestic Basmati Rice Pvt. Ltd. Plot No. 14, New Indls. Area, Mandideep		
2	Name of product	Name of Product	Exist. Cap.	Prop. Cap.
		Atta	--	1000 MT/Year
		Rice & Paddy Processing, Rice Atta	12000 MT/Year	12000 MT/Year
		Rice Milling	--	24000 MT/year
		Generation of Electricity by D.G. Set (for captive use only)	350 KVA	350 KVA
3	Project cost & fees	106.90 crores (Fees deposit - Rs. 2,75,000/- (under Air & Water Acts & HW Auth)		
4	Raw material and quantity	Raw Rice.		
5	Water consumption	Source - Borewell		
	a. Industrial	304 m ³ /day		
	b. Domestic	16 m ³ /day		
6	Waste Water generation			
	a. Industrial	122 m ³ /day		
	b. Domestic	8.0 m ³ /day		
7	Pollution control measures			
	Industrial	NA		
	Domestic	NA		
8	Source of Air Pollution & Control equipment	Boiler - 10 TPH (Stack - 9 mt.) (Fuel - Husk)		
9	Comments of R.O.	R.O. has recommended for Permission to Establish for expansion.		

Feed Back Sheet


1	Name of Officer/ Designation	Abhay Saraf SE
2	Date of Discussion	17/06/16
3	Query raised Suggestions/ Recommendations	<p>may be considered as recommended by R.O. with condition to install bag faller and R-O. plant.</p> <p style="text-align: right;"></p>

(Signature)

BRIEF PROFILE OF THE INDUSTRY
(Permission to Establish for expansion)

S.	Description	Remark		
1	Name of the industry and location	M/s. Majestic Basmati Rice Pvt. Ltd. Plot No. 14, New Indls. Area, Mandideep		
2	Name of product	Name of Product	Exist. Cap.	Prop. Cap.
		Atta	--	1000 MT/Year
		Rice & Paddy Processing, Rice Atta	12000 MT/Year	12000 MT/Year
		Rice Milling	--	24000 MT/year
		Generation of Electricity by D.G. Set (for captive use only)	350 KVA	350 KVA
3	Project cost & fees	106.90 crores (Fees deposit - Rs. 2,75,000/- (under Air & Water Acts & HW Auth)		
4	Raw material and quantity	Raw Rice.		
5	Water consumption	Source - Borewell		
	a. Industrial	304 m ³ /day		
	b. Domestic	16 m ³ /day		
6	Waste Water generation			
	a. Industrial	122 m ³ /day		
	b. Domestic	8.0 m ³ /day		
7	Pollution control measures			
	Industrial	NA		
	Domestic	NA		
8	Source of Air Pollution & Control equipment	Boiler - 10 TPH (Stack - 9 mt.) (Fuel - Husk)		
9	Comments of R.O.	R.O. has recommended for Permission to Establish for expansion.		

Feed Back Sheet

1	Name of Officer/ Designation	H.S. Malviya SE
2	Date of Discussion	17.6.16
3	Query raised Suggestions/ Recommendations	<p>May be considered as recommended.</p> <p align="right"></p>

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark		
1	Name of the industry and location	M/s. Majestic Basmati Rice Pvt. Ltd. Plot No. 14, New Indls. Area, Mandideep		
2	Name of product	Name of Product	Exist. Cap.	Prop. Cap.
		Atta	--	1000 MT/Year
		Rice & Paddy Processing, Rice Atta	12000 MT/Year	12000 MT/Year
		Rice Milling	--	24000 MT/year
		Generation of Electricity by D.G. Set (for captive use only)	350 KVA	350 KVA
3	Project cost & fees	106.90 crores (Fees deposit - Rs. 2,75,000/- (under Air & Water Acts & HW Auth)		
4	Raw material and quantity	Raw Rice.		
5	Water consumption	Source - Borewell		
	a. Industrial	304 m ³ /day		
	b. Domestic	16 m ³ /day		
6	Waste Water generation			
	a. Industrial	122 m ³ /day		
	b. Domestic	8.0 m ³ /day		
7	Pollution control measures			
	Industrial	NA		
	Domestic	NA		
8	Source of Air Pollution & Control equipment	Boiler - 10 TPH (Stack - 9 mt.) (Fuel - Husk)		
9	Comments of R.O.	R.O. has recommended for Permission to Establish for expansion.		

Feed Back Sheet

1	Name of Officer/ Designation	M. K. Mandra SE
2	Date of Discussion	17/6/16
3	Query raised Suggestions/ Recommendations	case may be consider as per recommendation of RO.

(Signature)

BRIEF PROFILE OF THE INDUSTRY

(Permission to Establish for expansion)

S.	Description	Remark		
1	Name of the industry and location	M/s. Majestic Basmati Rice Pvt. Ltd. Plot No. 14, New Indls. Area, Mandideep		
2	Name of product	Name of Product	Exist. Cap.	Prop. Cap.
		Atta	--	1000 MT/Year
		Rice & Paddy Processing, Rice Atta	12000 MT/Year	12000 MT/Year
		Rice Milling	--	24000 MT/year
		Generation of Electricity by D.G. Set (for captive use only)	350 KVA	350 KVA
3	Project cost & fees	106.90 crores (Fees deposit - Rs. 2,75,000/- (under Air & Water Acts & HW Auth))		
4	Raw material and quantity	Raw Rice.		
5	Water consumption	Source - Borewell		
	a. Industrial	304 m ³ /day		
	b. Domestic	16 m ³ /day		
6	Waste Water generation			
	a. Industrial	122 m ³ /day		
	b. Domestic	8.0 m ³ /day		
7	Pollution control measures			
	Industrial	NA		
	Domestic	NA		
8	Source of Air Pollution & Control equipment	Boiler - 10 TPH (Stack - 9 mt.) (Fuel - Husk)		
9	Comments of R.O.	R.O. has recommended for Permission to Establish for expansion.		

Feed Back Sheet

1	Name of Officer/ Designation	V.S Rai SE
2	Date of Discussion	17.6.16
3	Query raised Suggestions/ Recommendations	CTE (Exp.) maybe consider as per TR & RO

(Signature)

